# **Chemical Safety Data Sheet**

## **New Cheshire Salt Works Ltd**

Wincham Lane, Wincham, Northwich, Cheshire CW9 6DD Tel: (01606) 389232 Fax: 0800 132 734 email: sales@british-salt.co.uk www: http://www.ncsw.co.uk



All grades of Pure Dried Vacuum Salt (Sodium Chloride) including Pharmaceutical grades and compacted products.

#### 1.1 **Identification of the Substance**

Sodium Chloride Chemical Name

Synonyms Halite, common salt, evaporated salt

Formula NaC1 **CAS Number** 7647-14-5 **EINECS Number** 231-598-3

### **Identification of the Company**

**Details As Above** 

#### 1.3 **Emergency Telephone / Fax**

Tel: 01606 42361 (24 hrs) Fax: 01606 48333 (office hours)

#### 2. **Composition**

Composition by weight is 39.4% sodium and 60.6% chlorine.

Some grades are treated with part per million levels of non-toxic anti-caking additive, Sodium hexacyanoferrate (II) - E535.

#### 3. **Hazard Identification**

Inhalation: Very high concentrations of salt dust may result in inflammations of the mucus

membranes of the respiratory tract.

Skin Contact: Dry salt and concentrated solutions can cause withdrawal of fluid from the skin

and may, on prolonged contact, produce irritation.

Eye Contact : Salt and salt solutions are not toxic to the eye but concentrations much above

that of tears cause a stinging sensation.

Ingestion: Acute and chronic toxic effects can result from the ingestion of excessive

amounts of either salt or brine. Salt should not be used as an emetic to induce High concentrations produce inflammatory reactions in the gastrointestinal tract and can cause vomiting, diarrhoea, convulsions and collapse. The ingestion of hypertonic solutions can cause fatal disturbance of body electrolyte and fluid balance particularly in the young and elderly. Less than a tablespoon of salt may severely poison an infant and sometimes prove fatal.

Revised March 2005 Page 1 of 4

#### 4. First Aid Measures

**Inhalation:** Remove patient to fresh air. Keep warm and at rest. Give drinks if desired.

**Ingestion:** Vomiting will probably occur. Provided the patient is conscious give plenty of

liquid to drink. Obtain immediate medical attention especially if vomiting has not

occurred.

Eye Contact: Irrigate with eyewash solution or water. If symptoms develop obtain medical

help.

**Skin Contact:** Wash with plenty of water.

#### 5. Fire Fighting Measures

Flammability: Non-flammable

Extinguishants: Use agents suitable for type of surrounding fire (dry chemical, CO<sub>2</sub> water spray or

foam).

Special Hazards: Salt withstands temperatures up to its meting point and beyond without

decomposing, but at very high temperatures (greater than approximately 800°C)

a vapour may be emitted which is particularly irritating to the eyes.

**Protective Equipment:** As applicable to the combustion products associated with the fire.

### 6. Accidental Release Measures

Personal Precautions: Avoid prolonged contact with the skin and inhalation of dust concentrations,

otherwise normal good handling and housekeeping practice is adequate. No

special protective clothing is required.

An eyewash bottle with clean water should be available.

Spillages: Spillages should be swept up or may be safely water hosed to drain under normal

circumstances.

#### 7. Handling and Storage

**Handling:** Salt dust is non-flammable but static electricity can be generated by pneumatic

conveying, therefore pipes should be bonded and earthed, especially in

environments where a spark could prove hazardous.

Storage: Due to its hygroscopic nature, dried vacuum salt should be stored in a dry

atmosphere and away from concentrated acids. Absorbs moisture if the relative

humidity is above 75%.

## 8.1 **Exposure Controls**

Occupational Exposure as total dust 10mg/m³ (8hr TWA) Limits: as respirable dust 4mg/m³ (8hr TWA)

Dangerous Exposure: Non specified.

Engineering Controls: Static electricity can be generated by pneumatic conveying, therefore pipes

should be bonded and earthed, especially in environments where a spark

could prove hazardous.

Page 2 of 4 Revised March 2005

## 8.2 Personal Protection

Respiratory Protection: If the process is such that salt dust is generated, a disposable face

mask should be worn.

**Hand Protection :** Gloves to be worn if prolonged contact is anticipated.

Dry salt and concentrated solutions can cause withdrawal of fluid from

the skin.

**Eye Protection:** Wear chemical safety goggles in situations where contact With the eyes may

occur.

**Skin Protection:** Skin should be washed to remove salt. Dry salt and concentrated solutions

can cause withdrawal of fluid from the skin.

Other Protective Measures: An eyewash and hand washing facilities should be readily available.

#### 9 Physical and Chemical Properties

Appearance : Crystalline solid
Colour : White / Colourless

Boiling Point : 1413°C Melting Point : 802°C

Flammability : Non-flammable
Flash Point : Non-flammable
Explosive Properties : Non-flammable
Oxidising Properties : Non-flammable
Vapour Pressure : 2.4mm Hg at 747°C

Density : 2.165 gm / cc (of crystalline solid at 20°C)

Water Solubility : 35.9 g/100g at 0°C

39.2 g/100g at 100°C

Viscosity : Not applicable Vapour Density : Not applicable

#### 10 Stability and Reactivity

Chemical Stability: Stable

Conditions to avoid: Reacts with strong sulphuric acid or nitric acid to give hydrogen

chloride gas.

Material to avoid: Under wet conditions can corrode many common metals,

particularly iron, aluminium and zinc. Stainless steel and

monel resist attack.

Hazard Decomposition Products: Trace amounts of hydrogen chloride gas may be evolved at

temperatures in excess of 800°C. Contains no water of crystallisation. Does not react with alkalis at ordinary

temperatures.

#### 11 Toxicological Information

**Eyes:** Dust may be irritating

**Skin:** Irritation after prolonged contact

Page 3 of 4 Revised March 2005

Ingestion: Salt is an essential constituent of the diet. It provides important body

electrolytes and is the source of hydrochloric acid present in the gastric juices. The blood stream contains nearly 1% sodium chloride. In normal

industrial use salt is non-hazardous.

LD50 3000mg/kg oral, rat.

Inhalation: Dusts may be irritating.

Carcinogenicity: Not considered to be a carcinogen.

Mutagenicity: Not considered to be a mutagen.

Reproductive Effects: Non identified.

## 12 **Ecological Information**

A maximum value of 412 mg/l ensures the protection of all aquatic life.

Water Research Centre - September 1990 Source:

> 96 hour LC 50 (Fish) 6750 mg/l 48 hour EC 50 (Daphnia) 2024 mg/l 72 hour IC 50 (Algae) 3014 mg/l Daphnia Subacute 1062 mg/l Fish Subacute 433 mg/l BOD 5 day 0 mg/l COD 0 mg/l 1000 hg/cm<sup>2</sup> Earthworm Toxicity

#### 13 Disposal Considerations

Disposal should be in accordance with local or national regulations.

## 14 Transport Information

Material not included in the "List of Substances Danergous for Supply"

Material not included in the "List of Substances Dangerous for Conveyance by Road"

## 15 Regulatory Information

User: Not classified as hazardous to users.

**EEC Classification:** Under The Chemicals (Hazard Information and Packaging for Supply)

Regulations 2002, this material is not dangerous for supply or conveyance.

#### 16. Other Information

Page 4 of 4 Revised March 2005