

# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

## 1.1 Product identifier

Product name	:	StainBlaster Multi Purpose
Product code	:	116332E
Use of the Substance/Mixture	:	Laundry product
Substance type:	:	Mixture

## For professional users only.

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Prespotter/Stain remover. Manual process
Recommended restrictions on use	:	Reserved for industrial and professional use.

## 1.3 Details of the supplier of the safety data sheet

Company	<ul> <li>Ecolab Ltd.</li> <li>PO Box 11; Winnington Avenue</li> <li>Northwich, Cheshire, United Kingdom CW8 4DX</li> <li>+ 44 (0)1606 74488</li> <li>ccs@ecolab.com</li> </ul>
---------	--

# 1.4 Emergency telephone number

Emergency telephone number	:	+441618841235 +32-(0)3-575-5555 Trans-European
Poison Information Centre telephone number	:	For medical professionals only: 0344 892 0111

Date of Compilation/Revision : 23.02.2024 version : 2.3

# Section: 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2	H315
Skin sensitization, Category 1	H317
Eye irritation, Category 2	H319
Chronic aquatic toxicity, Category 3	H412

The classification of this product is based on toxicological assessment.

## 2.2 Label elements

Labelling (REGULATION (EC Hazard pictograms	C) No 1272/2008)	
Signal Word	: Warning	
Hazard Statements	: H315 H317 H319 H412	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.
Precautionary Statements	: <b>Prevention:</b> P273 P280	Avoid release to the environment. Wear protective gloves/ eye protection/ face protection.

Hazardous components which must be listed on the label: Limonene

# 2.3 Other hazards

None known.

Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.2 Mixtures

## Hazardous components

Chemical Name	CAS-No. EC-No. REACH No.	Classification REGULATION (EC) No 1272/2008	Concentration : [%]
Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics	64742-47-8 926-141-6 01-2119456620-43	Flammable liquids Category 3; H226 Aspiration hazard Category 1; H304	>= 10 - < 20
Fattyalcohol ethoxylates =/< C15 and =/< 5EO	68213-23-0 01-2119489387-20	Acute toxicity Category 4; H302 Serious eye damage Category 1; H318 Chronic aquatic toxicity Category 3; H412	>= 10 - < 20
Anionic surfactants	68584-25-8 271-532-0 REACH EXEMPTED	Acute toxicity Category 4; H302 Skin irritation Category 2; H315 Eye irritation Category 2; H319	>= 10 - < 20
fatty acids, tall-oil, compds. with triethanolamine	68132-46-7 268-638-4 REACH EXEMPTED	Skin irritation Category 2; H315 Serious eye damage Category 1; H318	>= 5 - < 10
fatty acids, coco, compds. with triethanolamine	61790-64-5 263-155-5 REACH EXEMPTED	Eye irritation Category 2; H319	>= 5 - < 10
Fattyalcohol ethoxylates >	160875-66-1	Serious eye damage Category 1; H318	>= 3 - < 5

alcohols, c12-15, ethoxylated       68131-39-5 500-195-7 01-2119488720-33       Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 3; H412       >= 2.5 - < 5         Limonene       5989-27-5 227-813-5 01-2119529223-47       Nota C Flammable liquids Category 3; H226       >= 1 - < 2.5         Skin irritation Category 2; H315       Skin sensitization Category 1; H400 Chronic aquatic toxicity Category 1; H400       >= 1 - < 2.5         potassium hydroxide       1310-58-3 215-181-3 01-2119487136-33       Acute toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H304       >= 1 - < 2.5         Skin corrosion/irritation Category 1; H400 Chronic aquatic toxicity Category 1; H304       M = 1 M(Chronic) = 1       >= 1 - < 2.5         potassium hydroxide       1310-58-3 215-181-3 01-2119487136-33       Acute toxicity Category 1; H304       >= 1 - < 2.5         Skin corrosion/irritation Category 14, H314 Corrosive to metals Category 17, H290       Skin corrosion/irritation Category 18 2 - < 5 %       >= 1 - < 2.6         amines, cocco alkyldimethyl, n-oxides       61788-90-7 263-016-9       Acute toxicity Category 4; H302 Serious eye damage/eye irritation Category 2A 0.5 - < 2 %       >= 0.5 - < 1         Substances with a workplace exposure limit : Propylene glycol       57-55-6 200-338-0 01-2119456809-23       Not Classified; >= 10 - < 20         For the full text of the H-Statements mentioned in this Section, see Section 16.       Section 16. <th></th> <th>500-195-7</th> <th></th> <th>&gt;= 2.5 - &lt; 5</th>		500-195-7		>= 2.5 - < 5
$\begin{array}{ c c c c c c c c c c c c c c c c c c c$				
potassium hydroxide1310-58-3 215-181-3 01-2119487136-33Acute toxicity Category 4; H302 Skin corrosion Category 1A; H314 Corrosive to metals Category 1A; H314 Corrosive to metals Category 1A; H314 S - 100 %>= 1 - < 2Skin corrosion/irritation Category 1A; H314 S - 100 %Skin corrosion/irritation Category 1A 5 - 100 %>= 1 - < 2	Limonene	227-813-5	H226 Skin irritation Category 2; H315 Skin sensitization Category 1; H317 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 1; H410 Aspiration hazard Category 1; H304 M = 1	>= 1 - < 2.5
alkyldimethyl, n-oxides       263-016-9       Skin irritation Category 2; H315         Serious eye damage Category 1; H318       Acute aquatic toxicity Category 1; H400         Chronic aquatic toxicity Category 2; H411         Substances with a workplace exposure limit :         Propylene glycol       57-55-6         200-338-0       Not Classified;       >= 10 - < 20	potassium hydroxide	215-181-3	Acute toxicity Category 4; H302 Skin corrosion Category 1A; H314 Corrosive to metals Category 1; H290 Skin corrosion/irritation Category 1A 5 - 100 % Skin corrosion/irritation Category 1B 2 - < 5 % Skin corrosion/irritation Category 2 0.5 - < 2 % Serious eye damage/eye irritation Category 1 2 - 100 % Serious eye damage/eye irritation Category 2A	>=1-<2
Propylene glycol         57-55-6         Not Classified;         >= 10 - < 20           200-338-0         01-2119456809-23           >= 10 - < 20	,		Skin irritation Category 2; H315 Serious eye damage Category 1; H318 Acute aquatic toxicity Category 1; H400	>= 0.5 - < 1
Propylene glycol         57-55-6         Not Classified;         >= 10 - < 20           200-338-0         01-2119456809-23           >= 10 - < 20	Substances with a workplace exposure limit :			
For the full text of the H-Statements mentioned in this Section, see Section 16.		57-55-6 200-338-0	Not Classified;	>= 10 - < 20
	For the full text of the H-	Statements mentioned	in this Section, see Section 16.	

# 4.1 Description of first aid measures

In case of eye contact	: Rinse immediately with plenty of water, also under the eyelids, at least 15 minutes. Remove contact lenses, if present and east to do. Continue rinsing. Get medical attention.	
In case of skin contact	: Wash off immediately with plenty of water for at least 15 minut Use a mild soap if available. Wash clothing before reuse. Thoroughly clean shoes before reuse. Get medical attention.	es.
If swallowed	: Rinse mouth. Get medical attention if symptoms occur.	
If inhaled	: Get medical attention if symptoms occur.	

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

# 4.3 Indication of immediate medical attention and special treatment needed

Treatment

: Treat symptomatically.

# Section: 5. FIREFIGHTING MEASURES

## 5.1 Extinguishing media

Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	:	None known.

## 5.2 Special hazards arising from the substance or mixture

	Specific hazards during firefighting	:	Not flammable or combustible.
	Hazardous combustion products	:	Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) metal oxides Sulphur oxides
5.3	3 Advice for firefighters		
	Special protective equipment for firefighters	:	Use personal protective equipment.
	Further information	:	Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of

# Section: 6. ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel	:	Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.
Advice for emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

fire and/or explosion do not breathe fumes.

## 6.2 Environmental precautions

Environmental precautions	: Do not allow contact with soil, surface or ground water.
---------------------------	--

# 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up	:	Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth,
		diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

# Section: 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Advice on safe handling	Avoid contact with skin and eyes. Do not get in eyes, on skin, or on clothing. Use only with adequate ventilation. Wash hands thoroughly after handling. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).
Hygiene measures	<ul> <li>Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use.</li> <li>Wash face, hands and any exposed skin thoroughly after handling.</li> </ul>

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Protect from frost, heat and sunlight. Store at room temperature in the original container. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.
Storage temperature	:	0 °C to 40 °C

## 7.3 Specific end uses

Specific use(s)

: Prespotter/Stain remover. Manual process

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1 Control parameters

## **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Propylene glycol	57-55-6	TWA (Total vapour and particles)	150 ppm 474 mg/m3	UKCOSSTD
		TWA (particles)	10 mg/m3	UKCOSSTD
potassium hydroxide	1310-58-3	STEL	2 mg/m3	UKCOSSTD

DNEL

Propylene glycol	:	End Use: Workers
		Exposure routes: Inhalation
		Potential health effects: Long-term systemic effects
		Value: 168 mg/m3
		End Use: Workers
		Exposure routes: Inhalation
		Potential health effects: Long-term local effects

		Value: 10 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 50 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 10 mg/m3
		End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects 213 mg/kg
		End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 85 ppm
triethanolamine	:	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 1 mg/m3
		End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1 mg/m3
		End Use: Workers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 7.5 mg/cm2
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 1.25 mg/m3
		End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term local effects Value: 1.25 mg/m3
		End Use: Consumers Exposure routes: Dermal Potential health effects: Long-term systemic effects Value: 3.1 mg/cm2
		End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 13 ppm
	1	

potassium hydroxide	: End Use: Workers Exposure routes: Inhalation Value: 1 mg/m3	
	End Use: Consumers Exposure routes: Inhalation Value: 1 mg/m3	

# PNEC

PNEC	
Propylene glycol	: Fresh water Value: 260 mg/l
	Marine water Value: 26 mg/l
	Intermittent use/release Value: 183 mg/l
	Fresh water sediment Value: 572 mg/kg
	Marine sediment Value: 57.2 mg/kg
	Sewage treatment plant Value: 20000 mg/l
	Soil Value: 50 mg/kg
triethanolamine	: Fresh water Value: 0.32 mg/l
	Marine water Value: 0.032 mg/l
	Intermittent use/release Value: 5.12 mg/l
	Fresh water sediment Value: 1.7 mg/kg
	Marine sediment Value: 1.7 mg/kg
	Sewage treatment plant Value: 10 mg/l
	Soil Value: 0.151 mg/kg

# 8.2 Exposure controls

# Appropriate engineering controls

Engineering measures	: Effective exhaust ventilation system. Maintain air concentrations below occupational exposure standards.	
Individual protection measu	res	
Hygiene measures	: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling.	
Eye/face protection (EN 166)	: Safety glasses with side-shields	
Hand protection (EN 374)	<ul> <li>Recommended preventive skin protection Gloves Nitrile rubber butyl-rubber Breakthrough time: 1 – 4 hours Minimum thickness for butyl-rubber 0.7 mm for nitrile rubber 0.4 mm or equivalent (please refer to the gloves manufacturer/distributor for advise). Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.</li> </ul>	
Skin and body protection (EN 14605)	: No special protective equipment required.	
Respiratory protection (EN 143, 14387)	: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified respiratory protection equipment meeting EU requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.	
Environmental exposure controls		

## Environmental exposure controls

General advice

# : Consider the provision of containment around storage vessels.

# Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: clear, yellow
Odour	: citrus
рH	: 7.5 - 8.7, 100 %
Flash point	: Not applicable.
Odour Threshold	: Not applicable and/or not determined for the mixture
Melting point/freezing point	: Not applicable and/or not determined for the mixture
Initial boiling point and boiling range	: Not applicable and/or not determined for the mixture
Evaporation rate	: Not applicable and/or not determined for the mixture
Flammability (solid, gas)	: Not applicable and/or not determined for the mixture

Upper explosion limit	: Not applicable and/or not determined for the mixture
Lower explosion limit	: Not applicable and/or not determined for the mixture
Vapour pressure	: Not applicable and/or not determined for the mixture
Relative vapour density	: Not applicable and/or not determined for the mixture
Relative density	: 0.95 - 1.05
Water solubility	: Not applicable and/or not determined for the mixture
Solubility in other solvents	: Not applicable and/or not determined for the mixture
Partition coefficient: n- octanol/water	: Not applicable and/or not determined for the mixture
Auto-ignition temperature	: Not applicable and/or not determined for the mixture
Thermal decomposition	: Not applicable and/or not determined for the mixture
Viscosity, kinematic	: 68.000 mm2/s (40 °C)
Explosive properties	: Not applicable and/or not determined for the mixture
Oxidizing properties	: Not applicable and/or not determined for the mixture

# 9.2 Other information

Not applicable and/or not determined for the mixture

# Section: 10. STABILITY AND REACTIVITY

# **10.1 Reactivity**

No dangerous reaction known under conditions of normal use.

## 10.2 Chemical stability

Stable under normal conditions.

## 10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

## 10.4 Conditions to avoid

None known.

## 10.5 Incompatible materials

None known.

# **10.6 Hazardous decomposition products**

Depending on combustion properties, decomposition products may include following materials: Carbon oxides nitrogen oxides (NOx) metal oxides Sulphur oxides

# Section: 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

Information on likely routes of : Inhalation, Eye contact, Skin contact exposure

Product

Acute oral toxicity	:	Acute toxicity estimate : > 2,000 mg/kg
Acute inhalation toxicity	:	There is no data available for this product.
Acute dermal toxicity	:	There is no data available for this product.
Skin corrosion/irritation	:	There is no data available for this product.
Serious eye damage/eye irritation	:	Eye irritation Method: OECD Test Guideline 438 Test substance: ProductThe classification of this product is based on toxicological assessment.
Respiratory or skin sensitization	:	There is no data available for this product.
Carcinogenicity	:	There is no data available for this product.
Reproductive effects	:	There is no data available for this product.
Germ cell mutagenicity	:	There is no data available for this product.
Teratogenicity	:	There is no data available for this product.
STOT - single exposure	:	There is no data available for this product.
STOT - repeated exposure	:	There is no data available for this product.
Aspiration toxicity	:	There is no data available for this product.
Components		
Acute oral toxicity	:	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics LD50 rat: > 5,000 mg/kg
		fatty acids, tall-oil, compds. with triethanolamine LD50 rat: > 10,000 mg/kg
		fatty acids, coco, compds. with triethanolamine LD50 rat: 6,400 mg/kg
		Fattyalcohol ethoxylates > C15 and =/< 5EO LD50 rat: > 2,000 mg/kg
		alcohols, c12-15, ethoxylated LD50 rat: > 5,000 mg/kg
		Limonene LD50 rat: 4,400 mg/kg
		potassium hydroxide LD50 rat: 333 mg/kg
		amines, coco alkyldimethyl, n-oxides LD50 rat: 846 mg/kg

StainBlaster Multi Purpose	StainBlaster Multi Purpose		
		Propylene glycol LD50 rat: 22,000 mg/kg	
Components			
Acute inhalation toxicity	:	Propylene glycol 4 h LC50 rabbit: 158.5 mg/l Test atmosphere: dust/mist	
Components			
Acute dermal toxicity	:	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics LD50 rabbit: > 5,000 mg/kg	
		alcohols, c12-15, ethoxylated LD50 rat: > 2,000 mg/kg	
		Limonene LD50 rabbit: > 5,000 mg/kg	
		amines, coco alkyldimethyl, n-oxides LD50 rat: > 2,174 mg/kg	
Potential Health Effects			
Eyes	:	Causes serious eye irritation.	
Skin	:	Causes skin irritation. May cause allergic skin reaction.	
Ingestion	:	Health injuries are not known or expected under normal use.	
Inhalation	:	Health injuries are not known or expected under normal use.	
Chronic Exposure	:	Health injuries are not known or expected under normal use.	
Experience with human expo	su	re	
Eye contact	:	Redness, Pain, Irritation	
Skin contact	:	Redness, Irritation, Allergic reactions	
Ingestion	:	No symptoms known or expected.	
Inhalation	:	No symptoms known or expected.	

# Section: 12. ECOLOGICAL INFORMATION

# 12.1 Toxicity

Environmental Effects	: Harmful to aquatic life with long lasting effects.
Product	
Toxicity to fish	: 96 h LC50: 5.7 mg/l
Toxicity to daphnia and other aquatic invertebrates	: no data available
Toxicity to algae	: no data available
Components	
Toxicity to fish	: Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics96 h LC50 Oncorhynchus mykiss (rainbow trout): > 1,000 mg/l

StainBlaster Multi Purpose	
	fatty acids, tall-oil, compds. with triethanolamine96 h LC50 Pimephales promelas (fathead minnow): 11,800 mg/l
	alcohols, c12-15, ethoxylated96 h LC50 Pimephales promelas (fathead minnow): 1.4 mg/l
	Propylene glycol96 h LC50 Fish: > 10,000 mg/l
Components	
Toxicity to daphnia and other : aquatic invertebrates	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics48 h EC50 Daphnia magna (Water flea): > 1,000 mg/l
	fatty acids, tall-oil, compds. with triethanolamine48 h EC50 Ceriodaphnia dubia (water flea): 609.98 mg/l
	Fattyalcohol ethoxylates > C15 and =/< 5EO48 h Daphnia magna (Water flea): > 1 mg/l
	alcohols, c12-15, ethoxylated48 h EC50 Daphnia magna (Water flea): 0.14 mg/l
	Limonene48 h EC50 Daphnia magna (Water flea): 0.307 mg/l
	Propylene glycol48 h EC50 Aquatic Invertebrate: 18,340 mg/l
Components	
Toxicity to algae :	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromatics72 h EC50 Pseudokirchneriella subcapitata (green algae): > 1,000 mg/l
	fatty acids, tall-oil, compds. with triethanolamine72 h EC50 Desmodesmus subspicatus (green algae): 216 mg/l
	alcohols, c12-15, ethoxylated72 h EC50 Pseudokirchneriella subcapitata (green algae): 0.75 mg/l
	Limonene72 h EC50 Pseudokirchneriella subcapitata (algae): 0.32 mg/l
12.2 Persistence and degradability	,
Product	
Biodegradability :	The surfactants contained in the product are biodegradable according to the requirements of the detergent regulation 648/2004/EC
Components	
Biodegradability :	Hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, <2% aromaticsResult: Readily biodegradable.
	Fattyalcohol ethoxylates =/< C15 and =/< 5EOResult: Readily biodegradable.
	fatty acids, tall-oil, compds. with triethanolamineResult: Readily biodegradable.

fatty acids, coco, compds. with triethanolamineResult: Readily

biodegradable.

Fattyalcohol ethoxylates > C15 and =/< 5EOResult: Readily biodegradable.

alcohols, c12-15, ethoxylatedResult: Readily biodegradable.

LimoneneResult: Readily biodegradable.

potassium hydroxideResult: Not applicable - inorganic

amines, coco alkyldimethyl, n-oxidesResult: Readily biodegradable.

Propylene glycolResult: Readily biodegradable.

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

# 12.5 Results of PBT and vPvB assessment

## Product

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste.Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

## 13.1 Waste treatment methods

Product	Do not contaminate storm water drains, natural waterways of with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practic dispose of contents/container in accordance with local regula Dispose of wastes in an approved waste disposal facility.	able,
Contaminated packaging	Dispose of as unused product. Empty containers should be to to an approved waste handling site for recycling or disposal. not re-use empty containers. Dispose of in accordance with I state, and federal regulations.	Do
Guidance for Waste Code selection	Organic wastes containing dangerous substances. If this pro is used in any further processes, the final user must redefine assign the most appropriate European Waste Catalogue Coc is the responsibility of the waste generator to determine the	and

toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC) and local regulations.

# Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

## Land transport (ADR/ADN/RID)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

# Air transport (IATA)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	

## Sea transport (IMDG/IMO)

14.1 UN number	: Not dangerous goods
14.2 UN proper shipping	: Not dangerous goods
name	
14.3 Transport hazard	: Not dangerous goods
class(es)	
14.4 Packing group	: Not dangerous goods
14.5 Environmental hazards	: Not dangerous goods
14.6 Special precautions for	: Not dangerous goods
user	
14.7 Transport in bulk	: Not dangerous goods
according to Annex II of	
MARPOL 73/78 and the IBC	
Code	

# Section: 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents	:	15 % or over but less than 30 %: Non-ionic surfactants, Aliphatic
Regulation EC 648/2004		hydrocarbons
		5 % or over but less than 15 %: Anionic surfactants, Soap

Other constituents: Enzymes, Perfumes Allergens: Limonene

Seveso III: Directive : Not applicable. 2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Candidate List of Substances : Not applicable. of Very High Concern for Authorisation

# **National Regulations**

Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations	The Chemicals (Hazard Information and Packaging for S Regulations.	Supply)
	The Control of Substances Hazardous to Health Regula Health and Safety at Work Act.	tions.

# **15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out on the product.

# Section: 16. OTHER INFORMATION

Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Skin irritation 2, H315	Calculation method
Skin sensitization 1, H317	Calculation method
Eye irritation 2, H319	Based on product data or assessment
Chronic aquatic toxicity 3, H412	Calculation method

# **Full text of H-Statements**

H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

## Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for

the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by

: Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# Annex: Exposure Scenarios

## Exposure Scenario: Prespotter/Stain remover. Manual process

Life Cycle Stage	:	Widespread	d use by professional workers
Product category	:	PC35	Washing and cleaning products (including solvent based products)

## Contributing scenario controlling environmental exposure for:

Environmental release category	:	ERC8a	Wide dispersive indoor use of processing aids in open systems			
Daily amount per site	:	7.5 kg				
Type of Sewage Treatment Plant	:	Municipal sewage treatment plant				
Contributing scenario controlling worker exposure for:						
Process category	:	PROC10	Roller application or brushing			
Exposure duration	:	480 min				
Operational conditions and risk management measures	:	Indoor				
		Local Exha	ust Ventilation is not required			
General ventilation		Ventilation	rate per hour 1			
Skin Protection	:	see section	8			
Respiratory Protection	:	see section	8			
Contributing scenario controlling worker exposure for:						
Process category	1	PROC11	Non industrial spraving			

Process category	:	PROC11	Non industrial spraying		
Exposure duration	:	60 min			
Operational conditions and risk management measures	:	Indoor			
		Local Exhaust Ventilation is not required			
General ventilation		Ventilation	rate per hour	1	
Skin Protection	:	see section	8		
Respiratory Protection	:	see section	8		