# Section: 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1 Product identifier

Product name : Turbo plus

Product code : 107800E

Use of the : Booster

Substance/Mixture

Substance type: : Mixture

For professional users only.

Product dilution information : No dilution information provided.

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laundry aid (non-gasing). Automatic process

Laundry aid (non-gasing). Semi automatic process

Recommended restrictions

on use

: Reserved for industrial and professional use.

# 1.3 Details of the supplier of the safety data sheet

Company : Ecolab Ltd.

PO Box 11; Winnington Avenue

Northwich, Cheshire, United Kingdom CW8 4DX

+ 44 (0)1606 74488 ccs@ecolab.com

# 1.4 Emergency telephone number

Emergency telephone : +441618841235

number +32-(0)3-575-5555 Trans-European

Poison Information Centre

telephone number

: For medical professionals only: 0344 892 0111

Date of Compilation/Revision : 23.08.2023 Version : 3.0

# **Section: 2. HAZARDS IDENTIFICATION**

# 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Acute toxicity, Category 4
Serious eye damage, Category 1
Acute aquatic toxicity, Category 1
H400
Chronic aquatic toxicity, Category 3
H412

107800E 1 / 16

#### 2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms





Signal Word : Danger

Hazard Statements : H302 Harmful if swallowed.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements : Prevention:

P273 Avoid release to the environment.
P280e Wear eye protection/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

Hazardous components which must be listed on the label: Alcohols, C13-15, branched and linear, ethoxylated (7EO)

# 2.3 Other hazards

None known.

# Section: 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2 Mixtures

#### **Hazardous components**

Chemical Name	CAS-No.	Classification	Concentration
	EC-No.	REGULATION (EC) No 1272/2008	: [%]
	REACH No.	,	
Alcohols, C13-15, branched and linear, ethoxylated (4EO)	157627-86-6 POLYMER	Acute toxicity Category 4; H302 Eye irritation Category 2; H319 Acute aquatic toxicity Category 1; H400 Chronic aquatic toxicity Category 3; H412	>= 30 - < 50
Alcohols, C13-15, branched and linear, ethoxylated (7EO)	157627-86-6 POLYMER	Acute toxicity Category 4; H302 Serious eye damage Category 1; H318 Chronic aquatic toxicity Category 3; H412	>= 20 - < 25
Dipropylene glycol methyl ether	34590-94-8 252-104-2 01-2119450011-60	Chronic aquatic toxicity Category 3; H412	>= 10 - < 20
Isopropyl Alcohol	67-63-0 200-661-7 01-2119457558-25	Flammable liquids Category 2; H225 Eye irritation Category 2; H319 Specific target organ toxicity - single exposure Category 3; H336	>= 1 - < 2.5

107800E 2 / 16

For the full text of the H-Statements mentioned in this Section, see Section 16.

# Section: 4. FIRST AID MEASURES

#### 4.1 Description of first aid measures

In case of eye contact : Rinse immediately with plenty of water, also under the eyelids, for

> at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

In case of skin contact : Rinse with plenty of water.

If swallowed : Rinse mouth.

Rinse mouth. Get medical attention if symptoms occur.

If inhaled : Remove to fresh air. Treat symptomatically. Get medical attention

if symptoms occur.

# 4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

#### 4.3 Indication of immediate medical attention and special treatment needed

Treatment : Treat symptomatically.

#### **Section: 5. FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable extinguishing

media

: None known.

# 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Fire Hazard

Keep away from heat and sources of ignition. Flash back possible over considerable distance.

Hazardous combustion

products

: Decomposition products may include the following materials:

Carbon oxides

# 5.3 Advice for firefighters

for firefighters

Special protective equipment : Use personal protective equipment.

Further information : Collect contaminated fire extinguishing water separately. This

must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. In the event of fire and/or

explosion do not breathe fumes.

107800E 3/16

# **Section: 6. ACCIDENTAL RELEASE MEASURES**

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel

: Ensure adequate ventilation. Remove all sources of ignition. Keep people away from and upwind of spill/leak. Avoid inhalation, ingestion and contact with skin and eyes. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Ensure clean-up is conducted by trained personnel only. Refer to protective measures listed in sections 7 and 8.

Advice for emergency responders

If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials.

# 6.2 Environmental precautions

Environmental precautions : Do not allow contact with soil, surface or ground water.

# 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up

Eliminate all ignition sources if safe to do so. Stop leak if safe to do so. Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. For personal protection see section 8. See Section 13 for additional waste treatment information.

# Section: 7. HANDLING AND STORAGE

# 7.1 Precautions for safe handling

Advice on safe handling : Do not ingest. Do not get in eyes, on skin, or on clothing. Use only

with adequate ventilation. Keep away from fire, sparks and heated surfaces. Take necessary action to avoid static electricity

discharge (which might cause ignition of organic vapours). Wash hands thoroughly after handling. Do not breathe spray, vapour. In case of mechanical malfunction, or if in contact with unknown dilution of product, wear full Personal Protective Equipment (PPE).

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Remove and wash contaminated clothing before re-use. Wash face, hands and any exposed skin thoroughly after handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Keep away from heat and sources of ignition. Keep away from oxidizing agents. Keep out of reach of children. Keep container tightly closed. Store in suitable labeled containers.

107800E 4 / 16

Storage temperature : 5 °C to 40 °C

# 7.3 Specific end uses

Specific use(s) : Laundry aid (non-gasing). Automatic process

Laundry aid (non-gasing). Semi automatic process

# Section: 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# 8.1 Control parameters

# **Occupational Exposure Limits**

Components	CAS-No.		Value type (Form of exposure)	Control parameters	Basis
Dipropylene glycol methyl ether	34590-94-8		TWA	50 ppm 308 mg/m3	UKCOSSTD
Further information	Sk			e skin. The assigned substances at dermal absorption will lead to	
Isopropyl Alcohol	67-63-0	)	STEL	500 ppm 1,250 mg/m3	UKCOSSTD
			TWA	400 ppm 999 mg/m3	UKCOSSTD

# DNEL

DNEL		
Isopropyl Alcohol	E P	nd Use: Workers xposure routes: Dermal otential health effects: Long-term systemic effects 888 mg/kg
	E:	nd Use: Workers xposure routes: Inhalation otential health effects: Long-term systemic effects alue: 500 mg/m3
	E:	nd Use: Consumers xposure routes: Dermal otential health effects: Long-term systemic effects 319 mg/kg
	E P	nd Use: Consumers xposure routes: Inhalation otential health effects: Long-term systemic effects alue: 89 mg/m3
	E:	nd Use: Consumers xposure routes: Ingestion otential health effects: Long-term systemic effects 26 mg/kg

# **PNEC**

Isopropyl Alcohol	:	Fresh water Value: 140.9 mg/l
		Marine water Value: 140.9 mg/l

107800E 5 / 16

Intermittent use/release Value: 140.9 mg/l

Fresh water Value: 552 mg/kg

Marine sediment Value: 552 mg/kg

Soil

Value: 28 mg/kg

Sewage treatment plant Value: 2251 mg/l

Oral

Value: 160 mg/kg

#### 8.2 Exposure controls

# Appropriate engineering controls

Engineering measures : Good general ventilation should be sufficient to control worker

exposure to airborne contaminants.

# Individual protection measures

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Remove and wash contaminated clothing before re-use.

Wash face, hands and any exposed skin thoroughly after

handling. Provide suitable facilities for quick drenching or flushing of the eyes and body in case of contact or splash hazard.

Eye/face protection (EN 166) : Safety goggles

Face-shield

Hand protection (EN 374) : No special protective equipment required.

Skin and body protection

(EN 14605)

: No special protective equipment required.

Respiratory protection (EN

143, 14387)

: None required if airborne concentrations are maintained below the exposure limit listed in Exposure Limit Information. Use certified

respiratory protection equipment meeting EU

requirements(89/656/EEC, (EU) 2016/425), or equivalent, when respiratory risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods

or procedures of work organization.

# **Environmental exposure controls**

General advice : Consider the provision of containment around storage vessels.

#### Section: 9. PHYSICAL AND CHEMICAL PROPERTIES

# 9.1 Information on basic physical and chemical properties

107800E 6 / 16

**Appearance** : liquid

Colour : light yellow Odour odourless

: 8.0 - 9.0, 100 % pΗ

: 66 °C closed cup, Does not sustain combustion. Flash point

Odour Threshold : Not applicable and/or not determined for the mixture Melting point/freezing point : Not applicable and/or not determined for the mixture Initial boiling point and

boiling range

: Not applicable and/or not determined for the mixture

Evaporation rate : Not applicable and/or not determined for the mixture Flammability (solid, gas) : Not applicable and/or not determined for the mixture Upper explosion limit : Not applicable and/or not determined for the mixture Lower explosion limit : Not applicable and/or not determined for the mixture Vapour pressure : Not applicable and/or not determined for the mixture : Not applicable and/or not determined for the mixture Relative vapour density

: 0.975 Relative density Water solubility : soluble

Solubility in other solvents : Not applicable and/or not determined for the mixture Partition coefficient: n-: Not applicable and/or not determined for the mixture

octanol/water

Auto-ignition temperature : Not applicable and/or not determined for the mixture Thermal decomposition : Not applicable and/or not determined for the mixture

Viscosity, kinematic : 51.374 mm2/s (40 °C)

Explosive properties : Not applicable and/or not determined for the mixture Oxidizing properties : The substance or mixture is not classified as oxidizing.

#### 9.2 Other information

Not applicable and/or not determined for the mixture

# Section: 10. STABILITY AND REACTIVITY

# 10.1 Reactivity

No dangerous reaction known under conditions of normal use.

# 10.2 Chemical stability

Stable under normal conditions.

# 10.3 Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

# 10.4 Conditions to avoid

107800E 7/16

Heat, flames and sparks.

#### 10.5 Incompatible materials

None known.

# 10.6 Hazardous decomposition products

Decomposition products may include the following materials: Carbon oxides

# Section: 11. TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

exposure

Information on likely routes of : Inhalation, Eye contact, Skin contact

**Product** 

Acute oral toxicity : Acute toxicity estimate : 1,341 mg/kg

Acute inhalation toxicity : There is no data available for this product.

Acute dermal toxicity : There is no data available for this product.

Skin corrosion/irritation : There is no data available for this product.

Serious eye damage/eye

irritation

: There is no data available for this product.

Respiratory or skin

sensitization

: There is no data available for this product.

Carcinogenicity : There is no data available for this product.

Reproductive effects : There is no data available for this product.

: There is no data available for this product. Germ cell mutagenicity

Teratogenicity : There is no data available for this product.

STOT - single exposure : There is no data available for this product.

STOT - repeated exposure : There is no data available for this product.

Aspiration toxicity : There is no data available for this product.

Components

Acute oral toxicity : Alcohols, C13-15, branched and linear, ethoxylated (4EO) LD50

rat: 1,250 mg/kg

Dipropylene glycol methyl ether LD50 rat: > 5,000 mg/kg

Isopropyl Alcohol LD50 rat: 5,840 mg/kg

107800E 8/16

# Components

Acute inhalation toxicity : Isopropyl Alcohol 4 h LC50 rat: > 30 mg/l

Test atmosphere: vapour

Components

Acute dermal toxicity : Alcohols, C13-15, branched and linear, ethoxylated (4EO) LD50

rat: > 2,000 mg/kg

Dipropylene glycol methyl ether LD50 rabbit: > 9,500 mg/kg

Isopropyl Alcohol LD50 rabbit: 12,870 mg/kg

**Potential Health Effects** 

Eyes : Causes serious eye damage.

Skin : Health injuries are not known or expected under normal use.

Ingestion : Harmful if swallowed.

Inhalation : Health injuries are not known or expected under normal use.

Chronic Exposure : Health injuries are not known or expected under normal use.

**Experience with human exposure** 

Eye contact : Redness, Pain, Corrosion

Skin contact : Irritation

Ingestion : No information available.

Inhalation : No symptoms known or expected.

# **Section: 12. ECOLOGICAL INFORMATION**

# 12.1 Toxicity

Environmental Effects : Very toxic to aquatic life. Harmful to aquatic life with long lasting

effects.

**Product** 

Toxicity to fish : no data available

Toxicity to daphnia and other : no data available

aquatic invertebrates

Toxicity to algae : no data available

Components

Toxicity to fish : Dipropylene glycol methyl ether96 h LC50 Poecilia reticulata

(guppy): > 100 mg/l

Isopropyl Alcohol96 h LC50 Pimephales promelas (fathead

minnow): 9,640 mg/l

#### Components

107800E 9 / 16

Toxicity to daphnia and other

aquatic invertebrates

: Alcohols, C13-15, branched and linear, ethoxylated (4EO)48 h

EC50 Daphnia magna (Water flea): 0.317 mg/l

Dipropylene glycol methyl ether48 h LC50 Daphnia magna (Water

flea): 1,919 mg/l

Isopropyl Alcohol LC50 Daphnia magna (Water flea): > 10,000

mg/l

Components

Toxicity to algae : Dipropylene glycol methyl ether72 h EC50 Pseudokirchneriella

subcapitata (green algae): > 969 mg/l

# 12.2 Persistence and degradability

#### **Product**

Biodegradability : The surfactants contained in the product are biodegradable

according to the requirements of the detergent regulation

648/2004/EC

Components

Biodegradability : Alcohols, C13-15, branched and linear, ethoxylated (4EO)Result:

Readily biodegradable.

Alcohols, C13-15, branched and linear, ethoxylated (7EO)Result:

Readily biodegradable.

Dipropylene glycol methyl etherResult: Readily biodegradable.

Isopropyl AlcoholResult: Readily biodegradable.

# 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

#### **Product**

Assessment : This substance/mixture contains no components considered to be

either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or

higher.

#### 12.6 Other adverse effects

no data available

# Section: 13. DISPOSAL CONSIDERATIONS

Dispose of in accordance with the European Directives on waste and hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

107800E 10 / 16

#### 13.1 Waste treatment methods

Product : Do not contaminate storm water drains, natural waterways or soil

with chemical or used container. Where possible recycling is preferred to disposal or incineration. If recycling is not practicable, dispose of contents/container in accordance with local regulations

Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product. Empty containers should be taken

to an approved waste handling site for recycling or disposal. Do not re-use empty containers. Dispose of in accordance with local,

state, and federal regulations.

Guidance for Waste Code

selection

: Organic wastes containing dangerous substances. If this product is used in any further processes, the final user must redefine and assign the most appropriate European Waste Catalogue Code. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable European (EU Directive 2008/98/EC)

and local regulations.

# Section: 14. TRANSPORT INFORMATION

The shipper/consignor/sender is responsible to ensure that the packaging, labeling, and markings are in compliance with the selected mode of transport.

Land transport (ADR/ADN/RID)

14.1 UN number : 3082

14.2 UN proper shipping : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

name N.O.S.

(Alcohol ethoxylate)

14.3 Transport hazard

class(es)

14.4 Packing group : III 14.5 Environmental hazards : Yes

14.6 Special precautions for

user

: None

: 9

Air transport (IATA)

14.1 UN number : 3082

14.2 UN proper shipping : Environmentally hazardous substance, liquid, n.o.s.

name

(Alcohol ethoxylate)

14.3 Transport hazard

class(es)

14.4 Packing group : III 14.5 Environmental hazards : Yes

14.6 Special precautions for

user

: None

: 9

Sea transport (IMDG/IMO)

14.1 UN number : 3082

14.2 UN proper shipping : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

name N.O.S.

(Alcohol ethoxylate)

107800E 11 / 16

14.3 Transport hazard : 9

class(es)

14.4 Packing group : 111 14.5 Environmental hazards : Yes

14.6 Special precautions for

: None

user

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC : Not applicable.

Code

# **Section: 15. REGULATORY INFORMATION**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

according to Detergents : 30 % and more: Non-ionic surfactants Regulation EC 648/2004 Other constituents: Optical brighteners

Seveso III: Directive **ENVIRONMENTAL HAZARDS E1** 

2012/18/EU of the European Parliament and of the Council on the control of majoraccident hazards involving dangerous substances.

Lower tier: 100 t Upper tier: 200 t

Candidate List of Substances : Not applicable. of Very High Concern for

Authorisation

#### **National Regulations**

# Take note of Dir 94/33/EC on the protection of young people at work.

Other regulations : The Chemicals (Hazard Information and Packaging for Supply)

Regulations.

The Control of Substances Hazardous to Health Regulations.

Health and Safety at Work Act.

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out on the product.

# **Section: 16. OTHER INFORMATION**

# Procedure used to derive the classification according to REGULATION (EC) No 1272/2008

Classification	Justification
Acute toxicity 4, H302	Calculation method
Serious eye damage 1, H318	Calculation method
Acute aquatic toxicity 1, H400	Calculation method
Chronic aquatic toxicity 3, H412	Calculation method

# **Full text of H-Statements**

H400

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Very toxic to aquatic life.

107800E 12/16

H412

Harmful to aquatic life with long lasting effects.

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN -United Nations; vPvB - Very Persistent and Very Bioaccumulative

Prepared by : Regulatory Affairs

Numbers quoted in the MSDS are given in the format: 1,000,000 = 1 million and 1,000 = 1 thousand. 0.1 = 1 tenth and 0.001 = 1 thousandth

REVISED INFORMATION: Significant changes to regulatory or health information for this revision is indicated by a bar in the left-hand margin of the SDS.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Annex: Exposure Scenarios** 

Exposure Scenario: Laundry aid (non-gasing). Automatic process

107800E 13 / 16

Life Cycle Stage : Use at industrial sites

Product category : PC35 Washing and cleaning products (including solvent based

products)

Contributing scenario controlling environmental exposure for:

Environmental release : ERC4 Industrial use of processing aids in processes and

products, not becoming part of articles

Daily amount per site : 50 kg

Type of Sewage Treatment :

Plant

category

Municipal sewage treatment plant

Contributing scenario controlling worker exposure for:

Process category : **PROC8b** Transfer of substance or preparation (charging/

discharging) from/ to vessels/ large containers at

dedicated facilities

Exposure duration : 60 min

Operational conditions and

risk management measures

Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

Contributing scenario controlling worker exposure for:

Process category : **PROC2** Use in closed, continuous process with occasional

controlled exposure

Exposure duration : 480 min

Operational conditions and

risk management measures

Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

Exposure Scenario: Laundry aid (non-gasing). Semi automatic process

Product category : PC35 Washing and cleaning products (including solvent based

products)

107800E 14 / 16

# Contributing scenario controlling worker exposure for:

Process category : **PROC8a** Transfer of substance or preparation (charging/

discharging) from/ to vessels/ large containers at non-

dedicated facilities

Exposure duration : 60 min

Operational conditions and risk management measures

Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

# Contributing scenario controlling worker exposure for:

Process category : **PROC1** Use in closed process, no likelihood of exposure

Exposure duration : 480 min

Operational conditions and

risk management measures

Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

# Exposure Scenario: Laundry aid (non-gasing). Manual process

Life Cycle Stage : Widespread use by professional workers

Product category : **PC35** Washing and cleaning products (including solvent based

products)

# Contributing scenario controlling environmental exposure for:

Environmental release

category

ERC8a

Wide dispersive indoor use of processing aids in open

systems

Daily amount per site : 7.5 kg

Type of Sewage Treatment

Plant

Municipal sewage treatment plant

# Contributing scenario controlling worker exposure for:

Process category : PROC8a Transfer of substance or preparation (charging/

discharging) from/ to vessels/ large containers at non-

dedicated facilities

107800E 15 / 16

Exposure duration : 60 min

Operational conditions and risk management measures

Indoor

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Skin Protection : see section 8

Respiratory Protection : see section 8

# Contributing scenario controlling worker exposure for:

Process category : **PROC4** Use in batch and other process (synthesis) where

opportunity for exposure arises

Exposure duration : 480 min

Operational conditions and

Indoor

risk management measures

Local Exhaust Ventilation is not required

General ventilation Ventilation rate per hour 1

Respiratory Protection : see section 8

Skin Protection : see section 8

107800E 16 / 16