



Revision: 2022-11-10 **Version:** 08.1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Comfort Professional Pure Concentrate Comfort is a registered trade mark and is used under licence of Unilever

UFI: WHS5-30U4-100Q-V6XP

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product use: Laundry conditioner.

Uses advised against: Uses other than those identified are not recommended.

SWED - Sector-specific worker exposure description :

AISE_SWED_PW_8a_2 PC35-Washing and cleaning products AISE_SWED_PW_1_1 AISE_SWED_PW_4_1 PC35-Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

Contact details

Diversey Ltd
Weston Favell Centre, Northampton NN3 8PD, United Kingdom
Tel: 01604 405311, Fax: 01604 406809
Regulatory Email: customerservice.uk@diversey.com

1.4 Emergency telephone number

Seek medical advice (show the label or safety data sheet where possible) For medical or environmental emergency only: call 0800 052 0185

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Not classified as hazardous

2.2 Label elements

Contains 1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione (DMDM Hydantoin)

Hazard statements:

EUH208 - May produce an allergic reaction.

Precautionary statements:

P102 - Keep out of reach of children.

Further indications on the label:

Contains: preservative.

2.3 Other hazards

No other hazards known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
fatty acids, C10-20 and C16-18-unsatd., reaction	295-344-3	91995-81-2	=	Skin Irrit. 2 (H315)		3-10

products with triethanolamine, di-Me sulfate-quaternized				Eye Irrit. 2 (H319)		
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio ne	229-222-8	6440-58-0	01-2119976015-37	Acute Tox. 4 (H302)		0.1-1
Silica, amorphous, fumed, crystalline-free	601-216-3	112945-52-5	-	Not classified as hazardous	[12]	< 0.01

Workplace exposure limit(s), if available, are listed in subsection 8.1.

ATE, if available, are listed in section 11.

[6] Exempted: biocidal active. See Article 15(2) of Regulation (EC) No 1907/2006.

[12] nanoform.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16...

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation: Get medical attention or advice if you feel unwell.

Skin contact: Wash skin with plenty of lukewarm, gently flowing water. If skin irritation occurs: Get medical advice

or attention.

Eye contact: Rinse cautiously with water for several minutes. If irritation occurs and persists, get medical

attention.

Ingestion: Rinse mouth. Immediately drink 1 glass of water. Never give anything by mouth to an unconscious

person. Get medical attention or advice if you feel unwell.

Self-protection of first aider: Consider personal protective equipment as indicated in subsection 8.2.

4.2 Most important symptoms and effects, both acute and delayed

Inhalation:No known effects or symptoms in normal use.Skin contact:No known effects or symptoms in normal use.Eye contact:No known effects or symptoms in normal use.Ingestion:No known effects or symptoms in normal use.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

5.2 Special hazards arising from the substance or mixture

No special hazards known.

5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

No special measures required.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Dyke to collect large liquid spills. Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust). Do not place spilled materials back into the original container. Collect in closed and suitable containers for disposal.

6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire and explosions:

No special precautions required.

Measures required to protect the environment:

For environmental exposure controls see subsection 8.2.

Advices on general occupational hygiene:

Follow general hygiene considerations recognised as common good workplace practices. Keep away from food, drink and animal feeding stuffs. Keep out of reach of children. Do not mix with other products unless adviced by Diversey. Wash hands thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local and national regulations. Keep only in original packaging. Keep out of reach of children. For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

7.3 Specific end use(s)

No specific advice for end use available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters Workplace exposure limits

Air limit values, if available:

Ingredient(s)	UK - Long term value(s)	UK - Short term value(s)
Silica, amorphous, fumed, crystalline-free	6 mg/m³ inhalable dust	18 mg/m3 inhalable
	2.4 mg/m³ respirable	dust
	dust	7.2 mg/m3 respirable
		dust

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

DNEL/DMEL and **PNEC** values

Human exposure

DNEL/DMEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	10
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available	-	No data available	20
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

DNEL/DMEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available	-	No data available	10
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Worker (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	70.6
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

DNEL/DMEL inhalatory exposure - Consumer (mg/m³)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	17.4
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

Environmental exposure

Environmental exposure - PNEC

Environmental expectate 114Ee							
Ingredient(s)	Surface water, fresh	Surface water, marine	Intermittent (mg/l)	Sewage treatment			

	(mg/l)	(mg/l)		plant (mg/l)
fatty acids, C10-20 and C16-18-unsatd., reaction products with	No data available	No data available	No data available	No data available
triethanolamine, di-Me sulfate-quaternized				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	0.51	0.051	0.11	10
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m³)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available	No data available	No data available	No data available
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	-	-	-	-
Silica, amorphous, fumed, crystalline-free	No data available	No data available	No data available	No data available

8.2 Exposure controls

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the undiluted product:

	SWED - Sector-specific	LCS	PROC	Duration	ERC
	worker exposure			(min)	
	description				
PC35-Washing and cleaning products	PC35-Washing and	С	=	-	ERC8a
	cleaning products				
Manual transfer and dilution	AISE_SWED_PW_8a_2	PW	PROC 8a	60	ERC8a

Personal protective equipment

Eye / face protection: Safety glasses are not normally required. However, their use is recommended in those cases where

splashes may occur when handling the product (EN 166).

Hand protection:

Body protection:

Respiratory protection:

No special requirements under normal use conditions.

No special requirements under normal use conditions.

No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

Recommended safety measures for handling the diluted product:

Recommended maximum concentration (% w/w): 0.7

Appropriate engineering controls: No special requirements under normal use conditions. Appropriate organisational controls: No special requirements under normal use conditions.

REACH use scenarios considered for the diluted product:

ter ter too oo intro oo in too to the time time to the time time time time time time time tim						
	SWED	LCS	PROC	Duration (min)	ERC	
PC35-Washing and cleaning products	PC35-Washing and cleaning products	С	-	-	ERC8a	
Automatic application in a dedicated closed system	AISE_SWED_PW_1_1	PW	PROC 1	480	ERC8a	
Automatic application in a dedicated system	AISE_SWED_PW_4_1	PW	PROC 4	480	ERC8a	

Personal protective equipment

Eye / face protection:No special requirements under normal use conditions.Hand protection:No special requirements under normal use conditions.Body protection:No special requirements under normal use conditions.Respiratory protection:No special requirements under normal use conditions.

Environmental exposure controls: No special requirements under normal use conditions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Information in this section refers to the product, unless it is specifically stated that substance data is listed

Method / remark

Physical state: Liquid Colour: Opaque , White Odour: Product specific

Odour threshold: Not applicable

Melting point/freezing point (°C): Not determined Not relevant to classification of this product

Initial boiling point and boiling range (°C): Not determined See substance data

Substance data, boiling point

Ingredient(s)	Value (°C)	Method	Atmospheric pressure (hPa)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		
Silica, amorphous, fumed, crystalline-free	No data available		

Method / remark

Flammability (solid, gas): Not applicable to liquids

Flammability (liquid): Not flammable.
Flash point (°C): Not applicable.
Sustained combustion: Not applicable.
(UN Manual of Tests and Criteria, section 32, L.2)

Lower and upper explosion limit/flammability limit (%): Not determined See substance data

Substance data, flammability or explosive limits, if available:

Method / remark

Autoignition temperature: Not determined Decomposition temperature: Not applicable.

pH: ≈ 3 (neat) ISO 4316

Kinematic viscosity: ≈ 35 mPa.s (20 °C) Solubility in / Miscibility with water: Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		
Silica, amorphous, fumed, crystalline-free	No data available		

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

Method / remark

Vapour pressure: Not determined See substance data

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available		
Silica, amorphous, fumed, crystalline-free	No data available		

Method / remark

OECD 109 (EU A.3)

Not relevant to classification of this product

Not applicable to liquids.

9.2 Other information

9.2.1 Information with regard to physical hazard classes

Explosive properties: Not explosive.

Oxidising properties: Not oxidising.

Corrosion to metals: Not corrosive

Relative density: ≈ 1.00 (20 °C)

Relative vapour density: No data available. Particle characteristics: No data available.

9.2.2 Other safety characteristics

No other relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability

Stable under normal storage and use conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

10.4 Conditions to avoid

None known under normal storage and use conditions.

10.5 Incompatible materials

None known under normal use conditions.

10.6 Hazardous decomposition products

None known under normal storage and use conditions.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture data:.

Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

Skin irritation and corrosivity

Result: Not corrosive or irritant Method: Weight of evidence

Eye irritation and corrosivity
Result: Not corrosive or irritant

Substance data, where relevant and available, are listed below:.

Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)	ATE (mg/kg)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	LD 50	> 5000	Rat	Method not given		Not established
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LD 50	1572	Rat	EPA OPP 81-1 Substance was tested as 55 % aqueous solution		1.4e+006
Silica, amorphous, fumed, crystalline-free		No data available				Not established

Acute dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	ATE
		(mg/kg)			time (h)	(mg/kg)
fatty acids, C10-20 and C16-18-unsatd., reaction products with		No data				Not established
triethanolamine, di-Me sulfate-quaternized		available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LD 50	> 1052	Rabbit	EPA OPP 81-2		Not established
				Substance was tested		
				as 52.6 % aqueous		
				solution		
Silica, amorphous, fumed, crystalline-free		No data				Not established
		available				

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,		No data			
di-Me sulfate-quaternized		available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data			
		available			
Silica, amorphous, fumed, crystalline-free		No data			
		available			

Acute inhalative toxicity, continued

Ingredient(s)	ATE - inhalation, dust (mg/l)	ATE - inhalation, mist (mg/l)	ATE - inhalation, vapour (mg/l)	ATE - inhalation, gas (mg/l)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		Not established	Not established	Not established

1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not established	Not established	Not established	Not established
Silica, amorphous, fumed, crystalline-free	Not established	Not established	Not established	Not established

Irritation and corrosivity Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available			
di-Me sulfate-quaternized				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not irritant	Rabbit	EPA OPP 81-5	4 hour(s)
Silica, amorphous, fumed, crystalline-free	No data available			

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available			
di-Me sulfate-quaternized				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not corrosive or	Rabbit	EPA OPP 81-4	
	irritant			
Silica, amorphous, fumed, crystalline-free	No data available			

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available			
di-Me sulfate-quaternized				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available			
Silica, amorphous, fumed, crystalline-free	No data available			

Sensitisation Sensitisation by skin contact

Conditional by Gran Contact				
Ingredient(s)	Result	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available			
di-Me sulfate-quaternized				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	Not sensitising	Guinea pig	OECD 406 (EU B.6) /	
	_		GPMT	
Silica, amorphous, fumed, crystalline-free	No data available		_	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available			
di-Me sulfate-quaternized				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available			
Silica, amorphous, fumed, crystalline-free	No data available			

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) <u>Mutagenicity</u>

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available		No data available	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidin e-2,4-dione	No data available		No data available	
Silica, amorphous, fumed, crystalline-free	No data available		No data available	

Carcinogenicity

Ingredient(s)	Effect
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available
di-Me sulfate-quaternized	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available
Silica, amorphous, fumed, crystalline-free	No data available

Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			No data available				
1,3-bis(hydroxymethyl)- 5,5-dimethylimidazolidi ne-2,4-dione			No data available				
Silica, amorphous,		_	No data				

fumed, crystalline-free	available		

Repeated dose toxicity
Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio		No data				
ne		available				
Silica, amorphous, fumed, crystalline-free		No data				
		available				

Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Specific effects and organs
		(mg/kg bw/d)			time (days)	affected
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio		No data				
ne		available				
Silica, amorphous, fumed, crystalline-free		No data				
·		available				

Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio		No data				
ne		available				
Silica, amorphous, fumed, crystalline-free		No data				
		available				

Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			No data available					
1,3-bis(hydroxymethyl)- 5,5-dimethylimidazolidi ne-2,4-dione			No data available					
Silica, amorphous, fumed, crystalline-free			No data available					

STOT-single exposure

CTOT dirigio expediare	
Ingredient(s)	Affected organ(s)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available
di-Me sulfate-quaternized	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available
Silica, amorphous, fumed, crystalline-free	No data available

STOT-repeated exposure

51 GT Topodica expectato	
Ingredient(s)	Affected organ(s)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,	No data available
di-Me sulfate-quaternized	
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	No data available
Silica, amorphous, fumed, crystalline-free	No data available

 $\begin{tabular}{lll} \textbf{Aspiration hazard} \\ \textbf{Substances with an aspiration hazard (H304), if any, are listed in section 3.} \end{tabular}$

Potential adverse health effects and symptoms

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

11.2 Information on other hazards

11.2.1 Endocrine disrupting propertiesEndocrine disrupting properties - Human data, if available:

11.2.2 Other information

No other relevant information available.

SECTION 12: Ecological information

12.1 Toxicity

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

Aquatic short-term toxicity Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	LC 50	1.91	Oncorhynchus mykiss	Read across	96
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	LC 50	> 82.3	Brachydanio rerio	OECD 203, semi-static	96
Silica, amorphous, fumed, crystalline-free	LC 50	> 100		OECD 203, static	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	EC 50	2.23	Daphnia magna Straus	Read across	48
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC 50	29.1	Daphnia magna Straus	OECD 202, semi-static	48
Silica, amorphous, fumed, crystalline-free	EC 50	> 1000	Daphnia magna Straus	OECD 202, static	48

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	IC 50	1.48	Not specified	Read across	72
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC 50	11	Desmodesmus subspicatus	OECD 201, static	72
Silica, amorphous, fumed, crystalline-free	EC 50	> 100	Desmodesmus subspicatus	OECD 201, static	72

Aquatic short-term toxicity - marine species

Ingredient(s)		Value (mg/l)	Species	Method	Exposure time (days)
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine,		No data			
di-Me sulfate-quaternized		available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione		No data			
		available			
Silica, amorphous, fumed, crystalline-free		No data			
·		available			

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized		No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dione	EC 50	> 100	Activated sludge	OECD 209	3 hour(s)
Silica, amorphous, fumed, crystalline-free		No data available			

Aquatic long-term toxicity Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value	Species	Method	Exposure	Effects observed
		(mg/l)			time	
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio		No data				
ne		available				
Silica, amorphous, fumed, crystalline-free		No data				
		available				

Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio		No data				

ne	available		
Silica, amorphous, fumed, crystalline-free	No data available		

Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw	Species	Method	Exposure time (days)	Effects observed
		sediment)				
fatty acids, C10-20 and C16-18-unsatd., reaction		No data				
products with triethanolamine, di-Me sulfate-quaternized		available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-dio		No data				
ne		available				
Silica, amorphous, fumed, crystalline-free		No data				
		available				

Terrestrial toxicityTerrestrial toxicity - soil invertebrates, including earthworms, if available:

Terrestrial toxicity - plants, if available:

Terrestrial toxicity - birds, if available:

Terrestrial toxicity - beneficial insects, if available:

Terrestrial toxicity - soil bacteria, if available:

12.2 Persistence and degradability

Abiotic degradation
Abiotic degradation - photodegradation in air, if available:

Abiotic degradation - hydrolysis, if available:

Abiotic degradation - other processes, if available:

Biodegradation

Ready biodegradability - aerobic conditions					
Ingredient(s)	Inoculum	Analytical method	DT 50	Method	Evaluation
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized			98.9% in 28 day(s)	OECD 301B	Readily biodegradable
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-d ione	Activated sludge, aerobe	DOC reduction	95% in 28 day(s)	OECD 301A	Readily biodegradable
Silica, amorphous, fumed, crystalline-free					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log r	(OW)			
Ingredient(s)	Value	Method	Evaluation	Remark
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available			
1,3-bis(hydroxymethyl)-5,5-dimethylimid azolidine-2,4-dione	-2.9	Method not given		at 20 °C
Silica, amorphous, fumed, crystalline-free	No data available			

Bioconcentration factor (BCF)

In our discret(s)		0	Madhad	Fredrick	Demont
Ingredient(s)	Value	Species	Method	Evaluation	Remark
fatty acids, C10-20 and	No data available				
C16-18-unsatd.,					
reaction products with					
triethanolamine, di-Me					
sulfate-quaternized					
1,3-bis(hydroxymethyl)-	< 1.79		OECD 305	No bioaccumulation expected	
5,5-dimethylimidazolidi				·	
ne-2,4-dione					

Silica, amorphous,	No data available		
fumed, crystalline-free			

12.4 Mobility in soil

Adsorption/De sorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log Koc	Desorption coefficient Log Koc(des)	Method	Soil/sediment type	Evaluation
fatty acids, C10-20 and C16-18-unsatd., reaction products with triethanolamine, di-Me sulfate-quaternized	No data available				
1,3-bis(hydroxymethyl)-5,5-dimethylimidazolidine-2,4-d ione	No data available				
Silica, amorphous, fumed, crystalline-free	No data available				

12.5 Results of PBT and vPvB assessment

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

12.6 Endocrine disrupting properties

Endocrine disrupting properties - Environmental effects, if available:

12.7 Other adverse effects

No other adverse effects known.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste from residues / unused products:

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging

material is suitable for energy recovery or recycling in line with local legislation.

European Waste Catalogue: 20 01 30 - detergents other than those mentioned in 20 01 29.

Empty packaging

Dispose of observing national or local regulations. Recommendation:

Suitable cleaning agents: Water, if necessary with cleaning agent.

SECTION 14: Transport information

Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)

14.1 UN number: Non-dangerous goods

14.2 UN proper shipping name: Non-dangerous goods 14.3 Transport hazard class(es): Non-dangerous goods

14.4 Packing group: Non-dangerous goods

14.5 Environmental hazards: Non-dangerous goods 14.6 Special precautions for user: Non-dangerous goods

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: Non-dangerous goods

Other relevant information:

Hazard identification number: -

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

- · Regulation (EC) 1907/2006 REACH (UK amended)
- Regulation (EC) 1272/2008 CLP (UK amended)
- Regulation (EC) 648/2004 Detergents regulation (UK amended)
- Delegated Regulation (EU) 2017/2100 and Regulation (EU) 2018/605 (UK amended)
- Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
 International Maritime Dangerous Goods (IMDG) Code

Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII): Not applicable.

Ingredients according to Detergents Regulation

cationic surfactants perfumes, DMDM Hydantoin, Potassium Sorbate 5 - 15 %

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) 648/2004 on detergents (UK amended). Data to support this assertion are held at the disposal of the competent authorities of the UK and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Comah - classification: Not classified

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out on the mixture

SECTION 16: Other information

The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract

SDS code: MSDS6169 Version: 08.1 Revision: 2022-11-10

Reason for revision:

Overall design adjusted in accordance with Amendment 2020/878, Annex II of Regulation (EC) No 1907/2006, This data sheet contains changes from the previous version in section(s):, 1, 3, 7, 8, 9, 10, 11, 12, 15, 16

Classification procedure

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

Full text of the H and EUH phrases mentioned in section 3:

- H302 Harmful if swallowed.
- · H315 Causes skin irritation.
- H319 Causes serious eye irritation.

Abbreviations and acronyms:

- · AISE The international Association for Soaps, Detergents and Maintenance Products
- ATE Acute Toxicity Estimate
- DNEL Derived No Effect Limit
- EC50 effective concentration, 50%
- ERC Environmental release categories EUH CLP Specific hazard statement
- LC50 Lethal Concentration, 50% / Median Lethal Concentration
- LCS Life cycle stage
 LD50 Lethal Dose, 50% / Median Lethal dose
- · NOAEL No observed adverse effect level
- NOEL No observed effect level
- OECD Organisation for Economic Cooperation and Development
- PBT Persistent, Bioaccumulative and Toxic
- PNEC Predicted No Effect Concentration
 PROC Process categories
- REACH number REACH registration number, without supplier specific part
- vPvB very Persistent and very Bioaccumulative

End of Safety Data Sheet