


Improve Kitchen Efficiency

Save Food - Save Labour -
Save Space - Save Energy -
Save Money



Adande Drawers
- Making Sense of
Refrigeration




It's All About the Food - That's Why Chefs Love Adande




Patented Technology
The cold air doesn't fall out!

Conventional Door Cabinet



The cold air falls out each time the door is opened

Adande Insulated Drawers



The cold air stays in the drawer with the food, **saving 40% energy**

With Conventional refrigeration the cold air falls out on opening

With Adande the cold air stays in, extending the life and quality of food - **saving 40% energy**

Fridge or Freezer - You Decide

set any drawer between -22°C to $+15^{\circ}\text{C}$
with optional blast chill on any drawer as well

Tomatoes 13°C

Chocolate 8°C

Citrus, Peppers, Pears 4°C

Fresh Fish 0°C

Fresh Beef and Lamb -1°C

Fresh Fruit Sorbets -15°C

PacoJet Preparation -20°C

You know how temperature affects your food -
With Adande you are in control.



From Fridge to freezer
at the touch of a button



The temperature of each Adande drawer can be set independently and precisely, from -22°C up to $+15^{\circ}\text{C}$, adapting to the changing needs of your kitchen.

Store your food
at exactly the
right temperature
to maximise food
storage life and
quality



Adande Drawers are the ultimate
prep station and Chef Base -

They fit in where you work.




Adande Equipment Gantry



Stable Temperatures

Because the cold air stays in.....



Product Specifications



Single Drawer unit VCS1 series

Dimensions (WxDxH): 1100 x 700 x 504 mm
 Capacity: 4x 1/1 Gastronorms/86 litres
 Temperature flexibility: -22°C to +15°C
 Normal operating range: 15°C to 38°C ambient
 Weight: 111kg
 Refrigerant: R404a
 Defrost: Automatic



Two Drawer unit VCS2 series

Dimensions (WxDxH): 1100 x 700 x 900 mm
 Capacity: 8 x 1/1 Gastronorms/172 litres
 Temperature flexibility: -22°C to +15°C (each drawer)
 Normal operating range: 15°C to 38°C ambient
 Weight: 175kg
 Refrigerant: R404a
 Defrost: Automatic



Three Drawer unit VCS3 series

Dimensions (WxDxH): 1100 x 700 x 1289 mm
 Capacity: 12 x 1/1 Gastronorms/258 litres
 Temperature flexibility: -22°C to +15°C (each drawer)
 Normal operating range: 15°C to 38°C ambient
 Weight: 229kg
 Refrigerant: R404a
 Defrost: Automatic



Rear Engine units VCR series

Providing an alternative footprint
 Dimensions (WxDxH): 878 x 885 x 900 mm
 Capacity: 8 x 1/1 Gastronorms/172 litres
 Temperature flexibility: -22°C to +15°C (each drawer)
 Normal operating range: 15°C to 38°C ambient
 Weight: 171kg
 Refrigerant: R404a
 Defrost: Automatic

VCR series - Available as a one, two, or three drawer units, the same as the VCS series

Chef Base VCS1 & VCR1 series

Place broilers, combi-ovens etc on the single drawer Chef Base. The Chef Base comes with a heat shield worktop and range of castor options to bring the cooking equipment to the correct working height.




Standard Options Available on All Models

Options are available including alternative worktop surfaces, heights, gentries, and food storage containers / dividers within the drawers.



Blast Chill Option - vcs Series Only

Blast chill can be added to any standard drawer as an option. Blast chill drawers retain fridge to freezer temperature flexibility.



Adande Refrigeration Limited



Sustainability

Adande saves energy in day to day use and is entirely suitable for recycling and re-use. The above award recognises Adande Drawers as the most sustainable catering equipment.

Hygienic & Easy to Clean



Each insulated drawer is made from strong moulded plastic, just like a cool box. There are no dirt traps. The drawers are completely removable for deep cleaning.

Smooth Freezer Drawers

Adande units are the only ones designed to operate as freezer drawers with all moving parts outside the cold area. Adande drawer runners cannot ice up and get stuck.

Blast Chiller Option

Adande blast chiller drawers have a powerful double-cooling system. Plus, each drawer retains full flexible temperature functionality, providing versatile fridge or freezer storage where you need it most.



Users of Adande Drawers



The Dorchester

Adande Technology is protected by GB Patent Number GB 1216389 and is the subject of further patents and applications for patents, in the UK and overseas.

Adande Refrigeration, 45 Pinbush Road, South Lowestoft Industrial Estate, Suffolk. NR33 7NL UK.

Contact Details

For further information, including detailed specification and technical information, visit our website or contact a member of our sales team.

sales@adande.com
 www.adande.com
 +44 (0) 844 3760023

