Revision nr. 11

Dated 23/11/2020

First compilation Printed on 23/11/2020

00GI R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL -ALCOHOL 70% vol.

Page n. 1/17

Safety Data Sheet According to Annex II to REACH - Regulation 2015/830

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Code: 00GI R2

Product name ADR - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% VOL.

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses Industrial Professional Consumer cosmetic product

1.3. Details of the supplier of the safety data sheet

GFL Srl a socio unico Full address Via Rugabella 1 District and Country 20122 MILANO **ITALIA**

> tel. +39 0382 1757111 fax +39 0382 1757220

e-mail address of the competent person

responsible for the Safety Data Sheet info@gfl.it

1.4. Emergency telephone number

For urgent inquiries refer to tel. +39 0382 1757111 (office hours)

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2015/830. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:

Flammable liquid, category 2 H225 Highly flammable liquid and vapour. H319 Eye irritation, category 2 Causes serious eye irritation.

2.2. Label elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms:

Revision nr. 11

Dated 23/11/2020

First compilation

Printed on 23/11/2020

Page n. 2/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.





Signal words: Danger

Hazard statements:

H225 Highly flammable liquid and vapour.H319 Causes serious eye irritation.

Precautionary statements:

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 Wear protective gloves/ protective clothing / eye protection / face protection.

P370+P378 In case of fire: use . . . to extinguish.
P233 Keep container tightly closed.

P337+P313 If eye irritation persists: Get medical advice / attention.

P102 Keep out of reach of children.

P270 Do not eat, drink or smoke when using this product.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue

rinsing.

P501 Dispose of contents and container in accordance with local regulation.

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

SECTION 3. Composition/information on ingredients

3.1. Substances

Information not relevant

3.2. Mixtures

Contains:

Identification x = Conc. % Classification 1272/2008 (CLP)

ETHANOL

CAS 64-17-5 $58 \le x < 70$ Flam. Liq. 2 H225, Eye Irrit. 2 H319

EC 200-578-6

INDEX 603-002-00-5 Reg. no. 01-2119457610-43

Revision nr. 11

Dated 23/11/2020

First compilation

Printed on 23/11/2020

Page n. 3/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

PROPAN-2-OL

CAS 67-63-0 0 ≤ x < 5 Flam. Liq. 2 H225, Eye Irrit. 2 H319, STOT SE 3 H336

EC 200-661-7

INDEX 603-117-00-0

Reg. no. 01-2119457558-25

Cyclohexane

CAS 110-82-7 0 ≤ x < 0,05 Flam. Liq. 2 H225, Asp. Tox. 1 H304, Skin Irrit. 2 H315, STOT SE 3 H336,

Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC 203-806-2 INDEX 601-017-00-1

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 15 minutes, opening the eyelids fully. If problem persists, seek medical advice.

SKIN: Remove contaminated clothing. Wash immediately with plenty of water. If irritation persists, get medical advice/attention. Wash contaminated clothing before using it again.

INHALATION: Remove to open air. In the event of breathing difficulties, get medical advice/attention immediately.

INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person, unless authorised by a doctor.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

Extinguishing substances are: carbon dioxide, foam, chemical powder. For product loss or leakage that has not caught fire, water spray can be used to disperse flammable vapours and protect those trying to stem the leak.

UNSUITABLE EXTINGUISHING EQUIPMENT

Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

00GI R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL -ALCOHOL 70% vol.

Revision nr. 11

Dated 23/11/2020

First compilation

Printed on 23/11/2020

Page n. 4/17

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

Send away individuals who are not suitably equipped. Use explosion-proof equipment. Eliminate all sources of ignition (cigarettes, flames, sparks, etc.) from the leakage site.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. When performing transfer operations involving large containers, connect to an earthing system and wear antistatic footwear. Vigorous stirring and flow through the tubes and equipment may cause the formation and accumulation of electrostatic charges. In order to avoid the risk of fires and explosions, never use compressed air when handling. Open containers with caution as they may be pressurised. Do not eat, drink or smoke during use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Store in a cool and well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany):

Revision nr. 11
Dated 23/11/2020
First compilation

Printed on 23/11/2020

Page n. 5/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU	Deutschland	TRGS 900 - Seite 1 von 69 (Fassung 29.03.2019)- Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte
DNK	Danmark	Bekendtgørelse om grænseværdier for stoffer og materialer - BEK nr 1458 af 13/12/2019
ESP	España	LÍMITES DE EXPOSICIÓN PROFESIONAL PARA AGENTES QUÍMICOS EN ESPAÑA 2019 (INSST)
FRA	France	Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS
GBR	United Kingdom	EH40/2005 Workplace exposure limits (Third edition, published 2018)
HRV	Hrvatska	Pravilnik o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 91/18)
ITA	Italia	Decreto Legislativo 9 Aprile 2008, n.81
NLD	Nederland	Regeling van de Staatssecretaris van Sociale Zaken en Werkgelegenheid van 13 juli 2018, 2018-
		0000118517 tot wijziging van de Arbeidsomstandighedenregeling in verband met de implementatie van
		Richtlijn 2017/164 in Bijlage XIII
POL	Polska	ROZPORZĄDZENIE MINISTRA RODZINY, PRACY I POLITYKI SPOŁECZNEJ z dnia 12 czerwca 2018 r
PRT	Portugal	Ministério da Economia e do Emprego Consolida as prescrições mínimas em matéria de protecção dos
	· ·	trabalhadores contra os riscos para a segurança e a saúde devido à exposição a agentes químicos no
		trabalho - Diário da República, 1.ª série - N.º 111 - 11 de junho de 2018
SVN	Slovenija	Uradni list Republike Slovenije 20.12.2019 - Uradnem listu RS št. 78/19 -PRAVILNIK o varovanju delavcev
		pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu
EU	OEL EU	Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398;
		Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive
		2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.
	TLV-ACGIH	ACGIH 2019
	121 7100111	71001112010

ETHANOL							
Threshold Limit Value	ue						
Туре	Country	TWA/8h		STEL/15min		Remarks / Observations	
		mg/m3	ppm	mg/m3	ppm		
AGW	DEU	960	500	1920	1000		
MAK	DEU	960	500	1920	1000		
TLV	DNK	1900	1000				
VLA	ESP			1910	1000		
VLEP	FRA	1900	1000	9500	5000		_
WEL	GBR	1920	1000				_
GVI/KGVI	HRV	1900	1000				
TGG	NLD	260		1900		SKIN	
NDS/NDSCh	POL	1900					_
TLV-ACGIH				1884	1000		
Predicted no-effect conc	entration - PNEC						
Normal value in fresh water			0,96		mg/l		
Normal value in marine water			0,79		mg/l		
Normal value for fresh water sediment			3,6		mg/kg		
Normal value for marine water sediment			2,9		mg/kg		

Revision nr. 11

Dated 23/11/2020

First compilation
Printed on 23/11/2020

Page n. 6/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

Normal value for water, into	2,75	mç						
Normal value of STP micro	580	m(g/l					
Normal value for the food of		0,38	m	g/kg				
Normal value for the terres	trial compartment			0,63	mg	g/kg		
Health - Derived no-ef	fect level - DNEL / I Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic	Acute local	Acute	Chronic local	Chronic
Oral				systemic 87 mg/kg bw/d		systemic		systemic
Inhalation				114 mg/m3				950 mg/m3
Skin				206 mg/kg bw/d				343 mg/kg bw/d
PROPAN-2-OL Threshold Limit Value								
Туре	Country	TWA/8h		STEL/15min		Remarks Observa		
		mg/m3	ppm	mg/m3	ppm	Observa	lions	
AGW	DEU	500	200	1000	400			
MAK	DEU	500	200	1000	400			
TLV	DNK	490	200					
VLA	ESP	500	200	1000	400			
VLEP	FRA			980	400			
WEL	GBR	999	400	1250	500			
GVI/KGVI	HRV	999	400	1250	500			
TGG	NLD	650						
NDS/NDSCh	POL	900		1200				
MV	SVN	500	200					
TLV-ACGIH		492	200	983	400			
Predicted no-effect concen	tration - PNEC							
Normal value in fresh wate	r			140,9	m	g/l		
Normal value in marine wa	ter			140,9	m	g/l		
Normal value for fresh water	er sediment			552	m	g/kg		
Normal value for marine water sediment				552	m	g/kg		
Normal value for water, into	ermittent release			140,9	m	g/l		
Normal value of STP micro		2251	mç	g/l				
Normal value for the food chain (secondary poisoning)				160	mç	g/kg		
Normal value for the terres	trial compartment			28	mç	g/kg		
Health - Derived no-ef	fect level - DNEL / I Effects on consumers	DMEL			Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				26 mg/kg bw/d				
Inhalation				89 mg/m3				500 mg/m3
Skin				319 mg/kg bw/d				888 mg/kg bw/d

Revision nr. 11 Dated 23/11/2020 First compilation

Printed on 23/11/2020

Page n. 7/17

00GI R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL -ALCOHOL 70% vol.

Туре	Country	TWA/8h		STEL/15min		Remarks / Observations		
		mg/m3	ppm	mg/m3	ppm	Observa	tions	
AGW	DEU	700	200	2800	800			
MAK	DEU	700	200	2800	800			
TLV	DNK	172	50					
VLA	ESP	700	200					
VLEP	FRA	700	200	1300	375			
WEL	GBR	350	100	1050	300			
GVI/KGVI	HRV	700	200					
VLEP	ITA	350	100					
TGG	NLD	700		1400				
NDS/NDSCh	POL	300		1000				
VLE	PRT	700	200					
MV	SVN	700	200					
OEL	EU	700	200					
TLV-ACGIH		344	100					
Predicted no-effect concentratio	on - PNEC							
Normal value in fresh water				0,207	mg	ı/l		
Normal value in marine water				0,207	mg	ı/l		
Normal value for fresh water sec	diment			16,68	mg/kg			
Normal value for marine water s	sediment			16,68	mg/kg			
Normal value of STP microorgan	nisms			3,24	mg/l			
Normal value for the terrestrial compartment			3,38	mg	ı/kg			
Health - Derived no-effect	Effects on	DMEL			Effects on			
Route of exposure	consumers Acute local	Acute systemic	Chronic local	Chronic systemic	workers Acute local	Acute systemic	Chronic local	Chronic systemic
Oral				59,4 mg/kg bw/d				
Inhalation	412 mg/m3	412 mg/m3	206 mg/m3	206 mg/m3	1400 mg/m3		700 mg/m3	700 mg/m3
Skin				1186 mg/kg bw/d				2016 mg/kg bw/d

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Revision nr. 11

Dated 23/11/2020

First compilation
Printed on 23/11/2020

Page n 8/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

Consider the appropriateness of providing antistatic clothing in the case of working environments in which there is a risk of explosion.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance gel

Colour transparent Odour odourless Not available Odour threshold 4.4 - 7.0 рΗ Melting point / freezing point Not available > 75 °C Initial boiling point Not available Boiling range Flash point 19 °C

Evaporation rate

Flammability (solid, gas)

Lower inflammability limit

Upper inflammability limit

Lower explosive limit

Upper explosive limit

Not available

Upper explosive limit

Not available

Not available

Revision nr. 11

Dated 23/11/2020

First compilation

Printed on 23/11/2020

Page n. 9/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

Vapour pressure Not available Vapour density Not available Relative density 0.88 - 0.92soluble in water Solubility Partition coefficient: n-octanol/water Not available Auto-ignition temperature > 363 °C Decomposition temperature Not available 3000 - 12000 cPs Viscosity

Explosive properties not classified as explosive,

contains no explosive

substances according to CLP

Art. (14 (2))

Oxidising properties the product is not an oxidizing

substance

9.2. Other information

VOC content: 68,5%

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

The vapours may also form explosive mixtures with the air.

ETHANOL

Risk of explosion on contact with: alkaline metals, alkaline oxides, calcium hypochlorite, sulphur monofluoride, acetic anhydride, acids, concentrated hydrogen peroxide, perchlorates, perchloric acid, perchloronitrile, mercury nitrate, nitric acid, silver, silver nitrate, ammonia, silver oxide, ammonia, strong oxidising agents, nitrogen dioxide. May react dangerously with: bromoacetylene, chlorine acetylene, bromine trifluoride, chromium trioxide, chromyl chloride, fluorine, potassium tert-butoxide, lithium hydride, phosphorus trioxide, black platinum, zirconium (IV) chloride, zirconium (IV) iodide. Forms explosive mixtures with: air.

Cyclohexane

May react violently with: strong oxidants, liquid nitric oxide. Forms explosive mixtures with: air.

10.4. Conditions to avoid

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

ETHANOL

Revision nr. 11

Dated 23/11/2020

First compilation

Printed on 23/11/2020

Page n. 10/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

Avoid exposure to: sources of heat,naked flames.

10.5. Incompatible materials

Cyclohexane

Incompatible materials: natural rubbers, neoprene, polyvinyl chloride, polyethylene.

10.6. Hazardous decomposition products

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification.

It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Cyclohexane

WORKERS: inhalation; skin contact.

POPOLAZIONE: contaminated food or water swallowing; inhalation environmental air; skin contact with containing substance products.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Cyclohexane

Irritant for skin and mucouses, it can be adsorbed through skin; the neurolesive action can occur at high doses and it is prevalently due to cyclohexanone, its metabolite.

Interactive effects

Cyclohexane

Substance can boost up the effects of agents like tri-orto-cresyl phosphate (TOCP).

ACUTE TOXICITY

LC50 (Inhalation) of the mixture:

Not classified (no significant component)

LD50 (Oral) of the mixture:

Not classified (no significant component)

LD50 (Dermal) of the mixture:

Not classified (no significant component)

Revision nr. 11
Dated 23/11/2020
First compilation

Printed on 23/11/2020

Page n. 11/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

Cyclohexane

LD50 (Oral) > 5000 mg/kg Rat

LD50 (Dermal) > 2000 mg/kg Rabbit

LC50 (Inhalation) 13,9 mg/l/4h Rat

ETHANOL

LD50 (Oral) > 5000 mg/kg Rat

LC50 (Inhalation) 120 mg/l/4h Pimephales promelas

PROPAN-2-OL

LD50 (Oral) 5,84 mg/kg Rat

LD50 (Dermal) 16,4 ml/kg Rat

LC50 (Inhalation) 72,6 mg/l/4h Rat

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Revision nr. 11
Dated 23/11/2020
First compilation

Printed on 23/11/2020

Page n. 12/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

Cyclohexane

LC50 - for Fish 4,53 mg/l/96h Pimephales promelas

EC50 - for Crustacea 0,9 mg/l/48h Daphnia magna
EC50 - for Algae / Aquatic Plants 4,425 mg/l/72h Chlorella vulgaris

Chronic NOEC for Algae / Aquatic Plants 0,925 mg/l

ETHANOL

LC50 - for Fish 14200 mg/l/96h
EC50 - for Crustacea 454 mg/l/48h
EC50 - for Algae / Aquatic Plants 275 mg/l/72h
Chronic NOEC for Fish 250 mg/l
Chronic NOEC for Crustacea 96 mg/l
Chronic NOEC for Algae / Aquatic Plants 11,5 mg/l

PROPAN-2-OL

LC50 - for Fish 9640 mg/l/96h
EC50 - for Crustacea > 100 mg/l/48h

12.2. Persistence and degradability

Cyclohexane

Rapidly degradable

ETHANOL

Revision nr. 11

Dated 23/11/2020

First compilation
Printed on 23/11/2020

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

Page n. 13/17

Solubility in water 1000 - 10000 mg/l

Rapidly degradable

PROPAN-2-OL

Rapidly degradable

12.3. Bioaccumulative potential

Cyclohexane

BCF 167 L/Kg ww

ETHANOL

Partition coefficient: n-octanol/water -0,35

PROPAN-2-OL

Partition coefficient: n-octanol/water 0,05

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

Waste transportation may be subject to ADR restrictions.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

14.1. UN number

ADR / RID, IMDG, 1987

Revision nr. 11 Dated 23/11/2020 First compilation

Printed on 23/11/2020

Tunnel

Packaging

instructions: 364

Page n. 14/17

00GI R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL -ALCOHOL 70% vol.

IATA:

14.2. UN proper shipping name

ADR / RID: ALCOHOLS, N.O.S. (ethanol, isopropyl alcohol) IMDG: ALCOHOLS, N.O.S. (ethanol, isopropyl alcohol) IATA: ALCOHOLS, N.O.S. (ethanol, isopropyl alcohol)

14.3. Transport hazard class(es)

ADR / RID: Class: 3 Label: 3

IMDG: Class: 3 Label: 3

IATA: Class: 3 Label: 3



14.4. Packing group

ADR / RID, IMDG, П

14.5. Environmental hazards

ADR / RID: NO IMDG: NO IATA:

14.6. Special precautions for user

ADR / RID: HIN - Kemler: 33 Limited Quantities: 1

restriction code: (D/E) Special Provision: 640D

IMDG: EMS: F-E, S-D Limited

Quantities: 1

IATA: Cargo: Maximum

quantity: 60 L

Pass.: Maximum Packaging

quantity: 5 L instructions: 353

A3, A180 Special Instructions:

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

Revision nr. 11

Dated 23/11/2020 First compilation

Printed on 23/11/2020

Page n. 15/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: P5c

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product

Point 3 - 40

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

German regulation on the classification of substances hazardous to water (AwSV, vom 18. April 2017)

WGK 1: Low hazard to waters

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Flam. Liq. 2 Flammable liquid, category 2
Asp. Tox. 1 Aspiration hazard, category 1
Eye Irrit. 2 Eye irritation, category 2
Skin Irrit. 2 Skin irritation, category 2

STOT SE 3 Specific target organ toxicity - single exposure, category 3

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity, category 1

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity, category 1

Revision nr. 11 Dated 23/11/2020

First compilation Printed on 23/11/2020

Page n. 16/17

00GI R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL -ALCOHOL 70% vol.

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
- 4. Regulation (EU) 2015/830 of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP) 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2018/1480 (XIII Atp. CLP)
- 16. Regulation (EU) 2019/521 (XII Atp. CLP)
 The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
 Patty Industrial Hygiene and Toxicology

Revision nr. 11

Dated 23/11/2020

First compilation

Printed on 23/11/2020

Page n. 17/17

00GI_R2 - DG - HYDROALCOHOLIC SANITISING HAND GEL - ALCOHOL 70% vol.

- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.
Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.