



## Suma Bac D10 Sanitiser

Revision: 2018-01-25

Version: 01.1

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

**Trade name:** Suma Bac D10 Sanitiser

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses:

For professional and industrial use only.

AISE-P314 - Surface disinfectant. Manual process

AISE-P315 - Surface disinfectant. Spray and rinse manual process

Disinfectant for closed systems or equipment (AISE\_CSP02 & AISE\_CSP05)

**Uses advised against:** Uses other than those identified are not recommended

#### 1.3 Details of the supplier of the safety data sheet

Diversey Europe Operations BV, Maarssenbroeksedijk 2, 3542DN Utrecht, The Netherlands

#### Contact details

Diversey Ltd

Weston Favell Centre, Northampton NN3 8PD, United Kingdom

Tel: 01604 405311, Fax: 01604 406809

Regulatory Email: customerservice.uk@diversey.com

#### 1.4 Emergency telephone number

For medical or environmental emergency only:

call 0800 052 0185

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Skin Irrit. 2 (H315)

Eye Dam. 1 (H318)

Aquatic Acute 1 (H400)

Aquatic Chronic 1 (H410)

Met. Corr. 1 (H290)

#### 2.2 Label elements



**Signal word:** Danger.

Contains alkyldimethylbenzylammoniumchloride (Cocoalkonium Chloride), alkyl alcohol ethoxylate (Trideceth-8).

#### Hazard statements:

H315 - Causes skin irritation.

H318 - Causes serious eye damage.

H410 - Very toxic to aquatic life with long lasting effects.

H290 - May be corrosive to metals.

#### Precautionary statements:

P280 - Wear eye or face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTRE, doctor or physician.

#### 2.3 Other hazards

No other hazards known

## Suma Bac D10 Sanitiser

The product does not meet the criteria for PBT or vPvB in accordance with Regulation (EC) No 1907/2006, Annex XIII

### SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Ingredient(s)	EC number	CAS number	REACH number	Classification	Notes	Weight percent
alkyldimethylbenzylammoniumchloride	270-325-2	68424-85-1	No data available	Skin Corr. 1B (H314) Acute Tox. 4 (H302) Acute Tox. 4 (H312) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)		3-10
alkyl alcohol ethoxylate	Polymer*	69011-36-5	[4]	Acute Tox. 4 (H302) Eye Dam. 1 (H318)		3-10
sodium carbonate	207-838-8	497-19-8	01-2119485498-19	Eye Irrit. 2 (H319)		1-3

\* Polymer.

For the full text of the H and EUH phrases mentioned in this Section, see Section 16.

Workplace exposure limit(s), if available, are listed in subsection 8.1.

[1] Exempted: ionic mixture. See Regulation (EC) No 1907/2006, Annex V, paragraph 3 and 4. This salt is potentially present, based on calculation, and included for classification and labelling purposes only. Each starting material of the ionic mixture is registered, as required.

[2] Exempted: included in Annex IV of Regulation (EC) No 1907/2006.

[3] Exempted: Annex V of Regulation (EC) No 1907/2006.

[4] Exempted: polymer. See Article 2(9) of Regulation (EC) No 1907/2006.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

<b>Inhalation:</b>	Get medical attention or advice if you feel unwell.
<b>Skin contact:</b>	Wash skin with plenty of lukewarm, gently flowing water. Take off immediately all contaminated clothing and wash it before re-use. If skin irritation occurs: Get medical advice or attention.
<b>Eye contact:</b>	Immediately rinse eyes cautiously with lukewarm water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE, doctor or physician.
<b>Ingestion:</b>	Rinse mouth. Immediately drink 1 glass of water. Get medical attention or advice if you feel unwell.
<b>Self-protection of first aider:</b>	Consider personal protective equipment as indicated in subsection 8.2.

#### 4.2 Most important symptoms and effects, both acute and delayed

<b>Inhalation:</b>	No known effects or symptoms in normal use.
<b>Skin contact:</b>	Causes irritation.
<b>Eye contact:</b>	Causes severe or permanent damage.
<b>Ingestion:</b>	No known effects or symptoms in normal use.

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Carbon dioxide. Dry powder. Water spray jet. Fight larger fires with water spray jet or alcohol-resistant foam.

#### 5.2 Special hazards arising from the substance or mixture

No special hazards known.

#### 5.3 Advice for firefighters

As in any fire, wear self contained breathing apparatus and suitable protective clothing including gloves and eye/face protection.

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Wear eye/face protection.

#### 6.2 Environmental precautions

Do not allow to enter drainage system, surface or ground water. Do not allow to enter the ground/soil. Dilute with plenty of water. Inform responsible authorities in case undiluted product reaches drainage system, surface or ground water or the ground/soil.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

#### 6.4 Reference to other sections

For personal protective equipment see subsection 8.2. For disposal considerations see section 13.

## Suma Bac D10 Sanitiser

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Measures to prevent fire and explosions:**

No special precautions required.

**Measures required to protect the environment:**

For environmental exposure controls see subsection 8.2.

**Advices on general occupational hygiene:**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not mix with other products unless advised by Diversey. Wash hands before breaks and at the end of workday. Wash face, hands and any exposed skin thoroughly after handling. Take off immediately all contaminated clothing. Wash contaminated clothing before reuse. Use personal protective equipment as required. Avoid contact with eyes. Use only with adequate ventilation.

**7.2 Conditions for safe storage, including any incompatibilities**

Store in accordance with local and national regulations. Keep only in original container. Store in a closed container.

For conditions to avoid see subsection 10.4. For incompatible materials see subsection 10.5.

**7.3 Specific end use(s)**

No specific advice for end use available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Workplace exposure limits**

Air limit values, if available:

Biological limit values, if available:

Recommended monitoring procedures, if available:

Additional exposure limits under the conditions of use, if available:

**DNEL/DMEL and PNEC values****Human exposure**

DNEL oral exposure - Consumer (mg/kg bw)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyldimethylbenzylammoniumchloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-

DNEL dermal exposure - Worker

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyldimethylbenzylammoniumchloride	-	-	-	5.7
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	No data available	-	No data available	-

DNEL dermal exposure - Consumer

Ingredient(s)	Short term - Local effects	Short term - Systemic effects (mg/kg bw)	Long term - Local effects	Long term - Systemic effects (mg/kg bw)
alkyldimethylbenzylammoniumchloride	-	-	-	3.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	No data available	-	No data available	-

DNEL inhalatory exposure - Worker (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyldimethylbenzylammoniumchloride	-	-	-	3.96
alkyl alcohol ethoxylate	-	-	-	No data available
sodium carbonate	-	-	10	-

DNEL inhalatory exposure - Consumer (mg/m<sup>3</sup>)

Ingredient(s)	Short term - Local effects	Short term - Systemic effects	Long term - Local effects	Long term - Systemic effects
alkyldimethylbenzylammoniumchloride	-	-	-	1.64
alkyl alcohol ethoxylate	No data available	No data available	-	-
sodium carbonate	10	-	-	-

**Environmental exposure**

Environmental exposure - PNEC

## Suma Bac D10 Sanitiser

Ingredient(s)	Surface water, fresh (mg/l)	Surface water, marine (mg/l)	Intermittent (mg/l)	Sewage treatment plant (mg/l)
alkyldimethylbenzylammoniumchloride	0.0009	0.00009	0.00016	0.4
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-

Environmental exposure - PNEC, continued

Ingredient(s)	Sediment, freshwater (mg/kg)	Sediment, marine (mg/kg)	Soil (mg/kg)	Air (mg/m <sup>3</sup> )
alkyldimethylbenzylammoniumchloride	0.267	0.0267	7	-
alkyl alcohol ethoxylate	-	-	-	-
sodium carbonate	-	-	-	-

**8.2 Exposure controls**

The following information applies for the uses indicated in subsection 1.2 of the Safety Data Sheet. If available, please refer to the product information sheet for application and handling instructions. Normal use conditions are assumed for this section.

Recommended safety measures for handling the undiluted product:

Covering activities such as filling and transfer of product to application equipment, flasks or buckets

**Appropriate engineering controls:** If the product is diluted by using specific dosing systems with no risk of splashes or direct skin contact, the personal protection equipment as described in this section is not required.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment**

**Eye / face protection:**

Safety glasses or goggles (EN 166).

**Hand protection:**

Chemical-resistant protective gloves (EN 374). Verify instructions regarding permeability and breakthrough time, as provided by the gloves supplier. Consider specific local use conditions, such as risk of splashes, cuts, contact time and temperature.

Suggested gloves for prolonged contact: Material: butyl rubber Penetration time: >= 480 min

Material thickness: >= 0.7 mm

Suggested gloves for protection against splashes: Material: nitrile rubber Penetration time: >= 30 min Material thickness: >= 0.4 mm

In consultation with the supplier of protective gloves a different type providing similar protection may be chosen.

**Body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:** Should not reach sewage water or drainage ditch undiluted or unneutralised.

Recommended safety measures for handling the diluted product:

**Recommended maximum concentration (%):** 4

**Appropriate engineering controls:** Provide a good standard of general ventilation.

**Appropriate organisational controls:** Avoid direct contact and/or splashes where possible. Train personnel.

**Personal protective equipment**

**Eye / face protection:**

Safety glasses are not normally required. However, their use is recommended in those cases where splashes may occur when handling the product.

**Hand protection:**

Rinse and dry hands after use. For prolonged contact protection for the skin may be necessary.

**Body protection:**

No special requirements under normal use conditions.

**Respiratory protection:**

No special requirements under normal use conditions.

**Environmental exposure controls:** No special requirements under normal use conditions.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Information in this section refers to the product, unless it is specifically stated that substance data is listed

	Method / remark
<b>Physical State:</b> Liquid	
<b>Colour:</b> Clear, Purple	
<b>Odour:</b> Product specific	
<b>Odour threshold:</b> Not applicable	
<b>pH:</b> ≈ 11 (neat)	
<b>Melting point/freezing point (°C):</b> Not determined	Not relevant to classification of this product
<b>Initial boiling point and boiling range (°C):</b> Not determined	

Substance data, boiling point

Ingredient(s)	Value	Method	Atmospheric pressure
---------------	-------	--------	----------------------

## Suma Bac D10 Sanitiser

	(°C)		(hPa)
alkyldimethylbenzylammoniumchloride	> 107	Method not given	
alkyl alcohol ethoxylate	> 200	Method not given	
sodium carbonate	1600	Method not given	1013

## Method / remark

**Flash point (°C):** Not applicable.

**Sustained combustion:** Not applicable.

( UN Manual of Tests and Criteria, section 32, L.2 )

**Evaporation rate:** Not determined

**Flammability (solid, gas):** Not applicable to liquids

**Upper/lower flammability limit (%):** Not determined

Substance data, flammability or explosive limits, if available:

Ingredient(s)	Lower limit (% vol)	Upper limit (% vol)
alkyldimethylbenzylammoniumchloride	-	-

## Method / remark

**Vapour pressure:** Not determined

Substance data, vapour pressure

Ingredient(s)	Value (Pa)	Method	Temperature (°C)
alkyldimethylbenzylammoniumchloride	2300	Method not given	20
alkyl alcohol ethoxylate	Negligible	Method not given	20-25
sodium carbonate	Negligible		

## Method / remark

**Vapour density:** Not determined

**Relative density:** ≈ 1.05 (20 °C)

**Solubility in / Miscibility with Water:** Fully miscible

Substance data, solubility in water

Ingredient(s)	Value (g/l)	Method	Temperature (°C)
alkyldimethylbenzylammoniumchloride	Soluble	Method not given	
alkyl alcohol ethoxylate	Soluble	Method not given	20
sodium carbonate	210-215	Method not given	20

Substance data, partition coefficient n-octanol/water (log Kow): see subsection 12.3

## Method / remark

**Autoignition temperature:** Not determined

**Decomposition temperature:** Not applicable.

**Viscosity:** Not determined

**Explosive properties:** Not explosive.

**Oxidising properties:** Not oxidising.

## 9.2 Other information

**Surface tension (N/m):** Not determined

**Corrosion to metals:** Corrosive

Not relevant to classification of this product  
UN Manual of Tests and Criteria, section 37 Weight of evidence

Substance data, dissociation constant, if available:

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

### 10.2 Chemical stability

Stable under normal storage and use conditions.

### 10.3 Possibility of hazardous reactions

No hazardous reactions known under normal storage and use conditions.

### 10.4 Conditions to avoid

None known under normal storage and use conditions.

### 10.5 Incompatible materials

Reacts with acids.

### 10.6 Hazardous decomposition products

## Suma Bac D10 Sanitiser

None known under normal storage and use conditions.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Mixture data:

#### Relevant calculated ATE(s):

ATE - Oral (mg/kg): >2000

ATE - Dermal (mg/kg): >2000

#### Skin irritation and corrosivity

**Result:** Skin irritant 2

**Method:** Weight of evidence

Substance data, where relevant and available, are listed below:

#### Acute toxicity

Acute oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	LD <sub>50</sub>	398	Rat		
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 300 - 2000	Rat	OECD 423 (EU B.1 tris)	
sodium carbonate	LD <sub>50</sub>	2800	Rat	Method not given	

Acute dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	LD <sub>50</sub>	800 - 1420	Rat	Method not given	
alkyl alcohol ethoxylate	LD <sub>50</sub>	> 2000	Rabbit	Method not given	
sodium carbonate	LD <sub>50</sub>	> 2000	Rabbit	Method not given	

Acute inhalative toxicity

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride		No data available			
alkyl alcohol ethoxylate		No data available			
sodium carbonate	LC <sub>50</sub>	2.3 (dust)	Rat	OECD 403 (EU B.2)	2

#### Irritation and corrosivity

Skin irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyldimethylbenzylammoniumchloride	Corrosive		Method not given	
alkyl alcohol ethoxylate	Not irritant	Rabbit	OECD 404 (EU B.4)	
sodium carbonate	Not irritant	Rabbit	Method not given	

Eye irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyldimethylbenzylammoniumchloride	Severe damage		Method not given	
alkyl alcohol ethoxylate	Severe damage	Rabbit	Method not given	
sodium carbonate	Irritant	Rabbit	Method not given	

Respiratory tract irritation and corrosivity

Ingredient(s)	Result	Species	Method	Exposure time
alkyldimethylbenzylammoniumchloride	No data available			
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available			

#### Sensitisation

Sensitisation by skin contact

Ingredient(s)	Result	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	Not sensitising		Method not given	
alkyl alcohol ethoxylate	Not sensitising	Guinea pig	Method not given	
sodium carbonate	Not sensitising		Method not given	

Sensitisation by inhalation

Ingredient(s)	Result	Species	Method	Exposure time
alkyldimethylbenzylammoniumchloride	No data available			
alkyl alcohol ethoxylate	No data available			

## Suma Bac D10 Sanitiser

sodium carbonate	No data available			

**CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

## Mutagenicity

Ingredient(s)	Result (in-vitro)	Method (in-vitro)	Result (in-vivo)	Method (in-vivo)
alkyldimethylbenzylammoniumchloride	No evidence for mutagenicity, negative test results	OECD 471 (EU B.12/13)	No data available	
alkyl alcohol ethoxylate	No evidence of genotoxicity, negative test results	Method not given	No evidence of genotoxicity, negative test results	Method not given
sodium carbonate	No data available		No data available	

## Carcinogenicity

Ingredient(s)	Effect
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	No evidence for carcinogenicity, weight-of-evidence
sodium carbonate	No evidence for carcinogenicity, weight-of-evidence

## Toxicity for reproduction

Ingredient(s)	Endpoint	Specific effect	Value (mg/kg bw/d)	Species	Method	Exposure time	Remarks and other effects reported
alkyldimethylbenzylammoniumchloride			No data available				
alkyl alcohol ethoxylate	NOAEL	Teratogenic effects	> 50	Rat	Not known		No known significant effects or critical hazards
sodium carbonate			No data available				

**Repeated dose toxicity**

## Sub-acute or sub-chronic oral toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				

## Sub-chronic dermal toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				

## Sub-chronic inhalation toxicity

Ingredient(s)	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time (days)	Specific effects and organs affected
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				

## Chronic toxicity

Ingredient(s)	Exposure route	Endpoint	Value (mg/kg bw/d)	Species	Method	Exposure time	Specific effects and organs affected	Remark
alkyldimethylbenzylammoniumchloride			No data available					
alkyl alcohol ethoxylate	Oral	NOAEL	50	Rat	Method not given	24 month(s)	Effects on organ weights	
sodium carbonate			No data available					

## STOT-single exposure

Ingredient(s)	Affected organ(s)
alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	No data available

## STOT-repeated exposure

Ingredient(s)	Affected organ(s)
---------------	-------------------

## Suma Bac D10 Sanitiser

alkyldimethylbenzylammoniumchloride	No data available
alkyl alcohol ethoxylate	Not applicable
sodium carbonate	No data available

**Aspiration hazard**

Substances with an aspiration hazard (H304), if any, are listed in section 3. If relevant, see section 9 for dynamic viscosity and relative density of the product.

**Potential adverse health effects and symptoms**

Effects and symptoms related to the product, if any, are listed in subsection 4.2.

**SECTION 12: Ecological information****12.1 Toxicity**

No data is available on the mixture.

Substance data, where relevant and available, are listed below:

**Aquatic short-term toxicity**

Aquatic short-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	LC <sub>50</sub>	> 0.1-1	<i>Fish</i>	Method not given	96
alkyl alcohol ethoxylate	LC <sub>50</sub>	1 - 10	<i>Cyprinus carpio</i>	OECD 203 (EU C.1)	96
sodium carbonate	LC <sub>50</sub>	300	<i>Lepomis macrochirus</i>	Method not given	96

Aquatic short-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	EC <sub>50</sub>	0.02	<i>Daphnia</i>	Method not given	48
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10	<i>Daphnia magna Straus</i>	OECD 202, static	48
sodium carbonate	EC <sub>50</sub>	265	<i>Daphnia magna Straus</i>	Method not given	96

Aquatic short-term toxicity - algae

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (h)
alkyldimethylbenzylammoniumchloride	EC <sub>50</sub>	0.06	<i>Pseudokirchneriella subcapitata</i>	OECD 201 (EU C.3)	96
alkyl alcohol ethoxylate	EC <sub>50</sub>	1 - 10	<i>Desmodesmus subspicatus</i>	OECD 201, static	72
sodium carbonate		No data available			-

Aquatic short-term toxicity - marine species

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time (days)
alkyldimethylbenzylammoniumchloride		No data available			-
alkyl alcohol ethoxylate		No data available			-
sodium carbonate		No data available			-

Impact on sewage plants - toxicity to bacteria

Ingredient(s)	Endpoint	Value (mg/l)	Inoculum	Method	Exposure time
alkyldimethylbenzylammoniumchloride	EC <sub>20</sub>	10	<i>Activated sludge</i>	OECD 209	0.5 hour(s)
alkyl alcohol ethoxylate	EC <sub>10</sub>	> 10000	<i>Activated sludge</i>	DIN 38412 / Part 8	17 hour(s)
sodium carbonate		No data available			

**Aquatic long-term toxicity**

Aquatic long-term toxicity - fish

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				



## Suma Bac D10 Sanitiser

## Aquatic long-term toxicity - crustacea

Ingredient(s)	Endpoint	Value (mg/l)	Species	Method	Exposure time	Effects observed
alkyldimethylbenzylammoniumchloride		No data available				
alkyl alcohol ethoxylate		No data available				
sodium carbonate		No data available				

## Aquatic toxicity to other aquatic benthic organisms, including sediment-dwelling organisms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw sediment)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	

## Terrestrial toxicity

## Terrestrial toxicity - soil invertebrates, including earthworms, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate	NOEC	220	<i>Eisenia fetida</i>		-	
sodium carbonate		No data available			-	

## Terrestrial toxicity - plants, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate	NOEC	10	<i>Lepidium sativum</i>	OECD 208	-	
sodium carbonate		No data available			-	

## Terrestrial toxicity - birds, if available:

Ingredient(s)	Endpoint	Value	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	

## Terrestrial toxicity - beneficial insects, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	

## Terrestrial toxicity - soil bacteria, if available:

Ingredient(s)	Endpoint	Value (mg/kg dw soil)	Species	Method	Exposure time (days)	Effects observed
alkyldimethylbenzylammoniumchloride		No data available			-	
alkyl alcohol ethoxylate		No data available			-	
sodium carbonate		No data available			-	

## 12.2 Persistence and degradability

## Abiotic degradation

Abiotic degradation - photodegradation in air, if available:

## Suma Bac D10 Sanitiser

Abiotic degradation - hydrolysis, if available:

Ingredient(s)	Half-life time in fresh water	Method	Evaluation	Remark
sodium carbonate	No data available		Rapidly hydrolysible	

Abiotic degradation - other processes, if available:

**Biodegradation**

Ready biodegradability - aerobic conditions

Ingredient(s)	Inoculum	Analytical method	DT <sub>50</sub>	Method	Evaluation
alkyldimethylbenzylammoniumchloride		Oxygen depletion	> 60%	Read across	Readily biodegradable
alkyl alcohol ethoxylate		CO <sub>2</sub> production	> 60 % in 28 day(s)	OECD 301B	Readily biodegradable
sodium carbonate					Not applicable (inorganic substance)

Ready biodegradability - anaerobic and marine conditions, if available:

Degradation in relevant environmental compartments, if available:

**12.3 Bioaccumulative potential**Partition coefficient n-octanol/water (log K<sub>ow</sub>)

Ingredient(s)	Value	Method	Evaluation	Remark
alkyldimethylbenzylammoniumchloride	0.5 - 1.58	Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available			
sodium carbonate	No data available		No bioaccumulation expected	

Bioconcentration factor (BCF)

Ingredient(s)	Value	Species	Method	Evaluation	Remark
alkyldimethylbenzylammoniumchloride	0.5		Method not given	No bioaccumulation expected	
alkyl alcohol ethoxylate	No data available				
sodium carbonate	No data available			No bioaccumulation expected	

**12.4 Mobility in soil**

Adsorption/Desorption to soil or sediment

Ingredient(s)	Adsorption coefficient Log K <sub>oc</sub>	Desorption coefficient Log K <sub>oc</sub> (des)	Method	Soil/sediment type	Evaluation
alkyldimethylbenzylammoniumchloride	No data available				
alkyl alcohol ethoxylate	No data available				Immobilized in soil or sediment
sodium carbonate	No data available				Potential for mobility in soil, soluble in water

**12.5 Results of PBT and vPvB assessment**

Substances that fulfill the criteria for PBT/vPvB, if any, are listed in section 3.

**12.6 Other adverse effects**


No other adverse effects known.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Waste from residues / unused products:****European Waste Catalogue:**

The concentrated contents or contaminated packaging should be disposed of by a certified handler or according to the site permit. Release of waste to sewers is discouraged. The cleaned packaging material is suitable for energy recovery or recycling in line with local legislation.  
20 01 29\* - detergents containing dangerous substances.

**Empty packaging****Recommendation:****Suitable cleaning agents:**

Dispose of observing national or local regulations.  
Water, if necessary with cleaning agent.

**SECTION 14: Transport information****Land transport (ADR/RID), Sea transport (IMDG), Air transport (ICAO-TI / IATA-DGR)****14.1 UN number:** 3267

## Suma Bac D10 Sanitiser

**14.2 UN proper shipping name:**

Corrosive liquid, basic, organic, n.o.s. ( trisodium citrate , alkyldimethylbenzylammoniumchloride )

**14.3 Transport hazard class(es):**

Class: 8

Label(s): 8

**14.4 Packing group:** III**14.5 Environmental hazards:**

Environmentally hazardous: Yes

Marine pollutant: Yes

**14.6 Special precautions for user:** None known.**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code:** The product is not transported in bulk tankers.**Other relevant information:****ADR**

Classification code: C7

Tunnel restriction code: E

Hazard identification number: 80

**IMO/IMDG**

EmS: F-A, S-B

The product has been classified, labelled and packaged in accordance with the requirements of ADR and the provisions of the IMDG Code. Transport regulations include special provisions for certain classes of dangerous goods packed in limited quantities.

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations:**

- Regulation (EU) No 528/2012 on biocidal products
- Regulation (EC) No 1272/2008 - CLP
- Regulation (EC) No. 1907/2006 - REACH
- Regulation (EC) No. 648/2004 - Detergents regulation

**Authorisations or restrictions (Regulation (EC) No 1907/2006, Title VII respectively Title VIII):** Not applicable.

**Ingredients according to EC Detergents Regulation 648/2004**

non-ionic surfactants

5 - 15%

disinfectants

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out on the mixture

**SECTION 16: Other information**

*The information in this document is based on our best present knowledge. However, it does not constitute a guarantee for any specific product features and does not establish a legally binding contract*

**SDS code:** MS1002505**Version:** 01.1**Revision:** 2018-01-25**Reason for revision:**

This data sheet contains changes from the previous version in section(s):, 2, 3, 16

**Classification procedure**

The classification of the mixture is in general based on calculation methods using substance data, as required by Regulation (EC) No 1272/2008. If for certain classifications data on the mixture is available or for example bridging principles or weight of evidence can be used for classification, this will be indicated in the relevant sections of the Safety Data Sheet. See section 9 for physical chemical properties, section 11 for toxicological information and section 12 for ecological information.

**Full text of the H and EUH phrases mentioned in section 3:**

- H302 - Harmful if swallowed.
- H312 - Harmful in contact with skin.
- H314 - Causes severe skin burns and eye damage.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H400 - Very toxic to aquatic life.
- H410 - Very toxic to aquatic life with long lasting effects.

**Abbreviations and acronyms:**

- AISE - The international Association for Soaps, Detergents and Maintenance Products
- DNEL - Derived No Effect Limit
- EUH - CLP Specific hazard statement
- PBT - Persistent, Bioaccumulative and Toxic
- PNEC - Predicted No Effect Concentration
- REACH number - REACH registration number, without supplier specific part
- vPvB - very Persistent and very Bioaccumulative

**Suma Bac D10 Sanitiser**

• ATE - Acute Toxicity Estimate

**End of Safety Data Sheet**