turbofan

CONVECTION OVEN SYSTEMS



TURBOFAN E33: THE ADVANTAGE









Introducing the two new Turbofan E33 convection ovens.

They're powerful, versatile, cost-effective and, with exceptional productivity, incredibly valuable to the modern commercial kitchen.

TURBOFAN E33: THE ADVANTAGE



blue-seal.co.uk



The E33T5 and E33D5 ovens each sit on a compact 610mm wide footprint and deliver a substantial five 1/1 Gastronorm tray capacity with 85mm tray spacing. With this size and scope energy savings are maximized and food loss minimised.

That's all the space and none of the waste.



The power.

The high performance bi-directional reversing fan system has been improved for the new E33 models with the introduction of two fan speeds. And with 5.8kW of heating power that means quality cooking capability – faster and more efficient.

The two-speed fan also provides you with greater control. High speed brings the grunt for maximum heat penetration. For more delicate products, low speed supplies the grace. Bake, roast, cook or regenerate – it doesn't matter.



The advantage.

With carefully regulated moisture control even the most difficult of dishes can be kept from drying out. The five-level moisture injection mode of the E33 delivers this capability time and time again, and with no drainage required installation is a breeze.

Product loss from shrinkage is limited and so is unnecessary stress – you can rely on succulent results.





The ease.

Along with the winning combination of two-speed fan cooking and carefully balanced moisture management comes incredible ease of use.

The touch screen control features manual and pre-programmed operating modes, individual shelf control, multi-stage cooking and optional core temperature probe.

Choosing the touch screen model from the E33 range means making the most of intuitive functionality and pre-programming usability. Here, the icon-driven menu makes for uncomplicated training of staff, consistent quality is simply a touch of the screen away.

Manual Mode Recipe Program Mode **Settings** - Manager features and service features Quick select oven cool down



Manual Mode

- Straight convection and +Moisture mode
- Complete control at the touch of a finger
- Shelf control







Recipe Program Mode

- · Product selection menu with images and product description
- Product categories
- · Program writing and editing
- · Recipe display including cooking stages
- · Convection mode display (straight convection or +Moisture convection)
- Multi-stage cooking
- Shelf control
- · Easy read set and running status








Shelf Control

- Simple shelf individual or multiple shelf control.
- Shelf control on touch in both Manual or Recipe Program modes.
- Alternating cook time / product name display on individual shelves.
- Unused shelves can be used as simple timers.

Core Temperature Cooking

- Cooking by core temperature with optional Core Temperature Probe
- Manual and Recipe Program modes
- · Multi-stage cooking

TOUCH SCREEN CONTROL



Other Features

- Manager menu
- Manual mode enable/disable
- USB recipe transfer to/from via control panel USB port.
- Auto-start time/day
- · Auto preheat
- Buzzer volume level
- Energy save auto set-back temperature
- · Pass code protection for recipes
- Service menu
- Diagnostics menu
- Error logs with full event history
- · Calibrations and settings

When service is in the balance, you don't want to be struggling with unwieldy technology. The slam shut latching pendulum door handle on these models is one of the simpler and more effective measures to ensure the greatest ease of use.

Stand the heat and stay in the kitchen thanks to the stay-cool vented door. Despite all the activity inside, the oven's exterior stays safe and cool, an ideal attribute in the tight environment of the modern kitchen.



Pendulum handle.



Stay cool vented door.

With the optional Core
Temperature Probe fast, concise
readings can be taken and
faultless outcomes expected.
It's this peace of mind that can
make such a difference when
you've got more things to do
than hours in the day.

Find the future with the USB-compatible touch screen model – the perfect high-tech solution for menu consistency. With uploading and downloading of product menu programs, you can easily keep multiple units up to date with menu changes.



Core temperature probe.



USB port.



www.blue-seal.co.uk www.turbofanoven.com

United Kingdom Blue Seal Limited

Unit 67
Gravelly Business Park
Gravelly
Birmingham B24 8TQ
England
Telephone 0121-327 5575
Facsimile 0121-327 9711
sales@blue-seal.co.uk
www.blue-seal.co.uk
www.bluesealequipment.com

Australia Moffat Pty Limited 740 Springvale Road Mulgrave, Victoria 3170 Australia

Telephone 03-9518 3888 Facsimile 03-9518 3833 vsales@moffat.com.au www.moffat.com.au

New Zealand Moffat Limited

16 Osborne Street PO Box 10-001 Christchurch 8011 Telephone 03-389 1007 Facsimile 03-389 1276 sales@moffat.co.nz

TURBOFAN E33: THE ADVANTAGE

