

## SILVERLINK 600



DF66/ST - Lincat Silverlink 600 Electric Counter-top Single Tank Fryer - 3 Baskets - W 600 mm - 6.0 kW

The Silverlink 600 Electric Single Tank Counter Top Fryer comes with three baskets for greater versatility, combined with a power that can deliver 26kg of chips per hour.

- Single tank fryer with three baskets giving you the flexibility to cook different foods or loads simultaneously, delivering 26kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

Sn	aci	fica	itio	ne

### Summary **Power and Performance** Total Power kW **Brand** 6.0 Range Silverlink 600 Temperature Range °C 130-190 **Power Type IP Rating** IP33 Electric **Unit Type** Counter-top **Temperature Control** Mechanical Available in UK Only Nο **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer GTIN 5056105104667 **Key Specifications** Capacity

#### **Number of Baskets** 3 18kg chips - 12mm [frozen], 26kg chips -**Product Output per Hour** 12mm [chi **Number of Tanks Capacity Litres** 20.0 **Gravity Filtration** No **Pumped Filtration**

Drain Location	Front-mounted		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	No
Unit Width (External) mm	600	Requires Electrical Supply	Yes
Unit Depth (External) mm	632	UK 3 Pin Plug	No
Net Weight Kg	22	Requires Hardwiring	Yes
		<b>Electrical Supply Rating Watts</b>	6,000
		Single Phase Amps	26.0
		Single Phase Voltage	230
		Three Phase Amps	L1=13.0; L2=13.0; L3=N/A
		Three Phase Voltage	400

5	nı	р	ы	n	Q

Packed Weight Kg	28
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	70



# **SILVERLINK 600**

### **Available Accessories**

BA96 BASKET SPUN DFSMALL

CC6
Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm


CN6
Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm


HC6
Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW


HCL6
Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW

**SLS6** Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

## **Technical Picture**







Product Code: DF66/ST Page Number: 2 Print Date: 30/10/2019







**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 503250

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm

A member company of



Product Code: DF66/ST Page Number: 3 Print Date: 30/10/2019