

Product Code: FFC3-1 35-103

Foster FlexDrawer Counter (variable temperature) with 1 Drawer



Features & Benefits

- Change drawer temperature from fridge to freezer at the touch of a button simple
- High quality 304 s/s finish throughout meaning quality is assured
- Per Drawer 3 x GN 1/1 150mm deep pan capacity maximises available storage space
- Works efficiently in hot kitchens, operating in ambients exceeding ISO Climate Class 5 (43°C ambient)
- User friendly controls with LED Temp display
- · Lockable drawers for maximum security
- Automatic hot gas defrost

| Refrigeration | | Electrical & Servic | e Data | Product Extras | |
|-----------------------------|----------|-------------------------|----------|-------------------------------------|----------------|
| R290 - Energy Efficient | Standard | 230/50/1 | Standard | Extended worktop | Option |
| Specification | | Fuse Required (A) | 10 | Roller Set (reduces height by 25mm) | Option |
| Refrigerator +1/+4°C and/or | | Refrigerant Charge (kg) | 0.065 | Cekon Lead | Option |
| Freezer -18/-21°C | Standard | Finish | | Pan spacer support | Option |
| Width (mm) | 1100 | 304 s/s | Standard | Energy | |
| Depth (mm) | | | | Lileigy | |
| Depui (IIIIII) | 700 | | | 0, | |
| Height (mm) | 600 | | | AEC | 1087.116 |
| | | | | | 1087.116 76 |
| | | | | AEC | 76 |
| | | | | AEC Nett Volume | |

Footnotes

- Max GN pan depth: 150mm
- Adequate airflow must be kept around the counter: 150mm
- Add 20mm for depth if product is to be wall sited. Stopper required for air circulation detachable if not wall sited.

Energy Performance Data and information



Foster Refrigerator- a division of ITW Ltd Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU Tel: 0843 216 8800 Fax: 0843 216 4700 Registered in England No. 00559693 VAT No. 6B 792 4414 16



Application

This appliance is intended for use in ambient temperatures up to {1}°C **Safety**

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies













Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.