

Product Code: FSL400HSlimline 400 Litre Upright Refrigerated Cabinet



Features & Benefits

- Quality commercial refrigeration with a 600mm width and small footprint ideal where space is at a premium in the kitchen
- Robust stainless steel exterior finish with 304 stainless steel door
- Forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- When space is a prime concern, Slimline Cabinets provide the ideal storage solution
- LED electronic temperature display for accurate control and clear visual reference

Shelving		Base Fittings		Doors	
Nylon Coated Shelf	Option	Remote Refrigeration System	Option	Solid	Standard
Refrigeration		Castors 80mm	Standard	Left Hand Hinged Door	Option
R290 - Energy Efficient	Standard	Electrical & Service D	Pata	Specification	
R134a - Industry Standard	Option	Connect Load	349	Refrigerator +1/+4°C	Standard
Integral Refrigeration System	Standard	230/50/1	Standard	Width (mm)	600
Finish		Fuse Required (A)	10	Depth (mm)	705
		Refrigerant Charge (kg)	0.310	Height (mm)	1900
s/steel ext, 304 s/s door & alu int	Standard	Energy		Unpacked weight (Kgs)	86
		S,		Packed weight (Kgs)	99.41
		kWh (24 hours)	1.54	Gross Volume (Ltr)	400
		AEC	436.68		
		Nett Volume	284.2		
		Energy Grade	С		
		Global Warming Potential	1430		
		Energy Efficiency Index	41.74		

Footnotes

- Bottom mounted system draws air from the cooler part of the kitchen ensuring lower running costs
- Forced air refrigeration for efficient operation, even temperature distribution and fast recovery
- Automatic Defrost for hassle-free operation
- Electronic temperature display for accurate control
- Delivers the reliability and performance you would expect from a Foster at a highly competitive price

Energy Performance Data and information



Foster Refrigerator- a division of ITW Ltd Oldmedow Road, KING'S LYNN, Norfolk PE30 4JU Tel: 0843 216 8800 Fax: 0843 216 4700 Registered in England No. 00559693 VAT No. 6B 792 4414 16



Application

This appliance is intended for use in ambient temperatures up to {1}°C

Safety

Precautionary instructions and maintenance advice, to ensure efficient operation, can be found in this products operating instructions.

Recycling

For recycling and end of life care for this product, please refer to environmental section of the website or visit our policies













Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU
Phone 08432 168800 | Email sales@foster-uk.com | Visit www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.